

FOR OFFICIAL USE ONLY
DECK LOG - 1911
NAVY'S 112 (Rev. 4-25)



DECK LOG BOOK

OF THE

U.S.S. VERMONT

1911

RECEIVED

COMMANDED BY

U.S.N.

U.S.S. VERMONT

Division

Squadron

Company

Platoon

Naval District

RECEIVED

64

1911

Commentary

Port Harbor, Hawaii

64

1911

and

Port Harbor, Hawaii

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ (Day) (Date) (Month) , 19 _____

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Franklin D. Roosevelt ZONE DESCRIPTION #10 DATE Wednesday, July 1, 1964
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	6	10	BR	29.96	76	70	6	2000	CU			
02	210	6	10	BR	29.96	77	72	6	2000	CU			
03	210	6	10	BR	29.96	77	72	6	2000	CU			
04	040	3	10	SC	29.96	77	71	5	2000	CU			
05	040	4	10	SC	29.96	77	71	5	2000	CU			
06	040	4	10	SC	29.96	77	71	5	2000	CU			
07	040	5	10	SC	29.97	78	71	4	2000	CU			
08	040	4	10	SC	29.97	79	72	4	2000	CU			
09	040	3	10	SC	29.95	82	73	4	2000	CU			
10	040	3	10	SC	29.95	84	74	4	2000	CU			
11	040	7	10	SC	29.98	85	75	4	2000	CU			
12	040	9	10	SC	29.98	85	75	4	2000	CU			
13	040	9	10	BR	29.98	85	75	6	2000	CU			
14	040	7	10	BR	29.97	85	75	6	2000	CU			
15	040	7	10	BR	29.97	85	75	6	2000	CU			
16	040	6	10	BR	29.97	85	75	6	2000	CU			
17	040	6	10	BR	29.96	84	74	6	2000	CU			
18	040	6	10	BR	29.96	81	73	6	2000	CU			
19	040	6	10	BR	29.95	80	72	7	2000	ST			
20	040	6	10	BR	29.97	78	71	8	2000	ST			
21	040	6	10	MC	29.98	76	71	10	2000	ST			
22	040	6	10	MC	29.98	77	72	10	2000	ST			
23	040	5	10	MC	29.97	77	72	10	2000	ST			
24	040	5	10	R	29.95	77	72	10	2000	ST			

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L. _____
MID. λ. _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

04-04 MOORED STARBOARD SIDE TO, OUTBOARD OF USS TOMBIGBEE, (AOG-11), WITH STANDARD MOORING LINES DOUBLED, IN A NEST OF FOUR SHIPS, IN BERTH FOXTROT ONE, US NAVAL STATION PEARL HARBOR. OTHER SHIPS IN THE NEST ARE USS OBANNOON (DD 540) MOORED IN BOARD OF USS TOMBIGBEE (AOG-11), USS TAYLOR (DD 468) MOORED IN BOARD OF USS OBANNOON, USS ISLE ROYAL (AD-29) MOORED IN BOARD OF USS TAYLOR AND TO BERTH FOXTROT ONE. MODIFIED MATERIAL CONDITION YOKO SET, RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM USS ISLE ROYAL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT SOPH is CINC PAC FT.

LE Horton USS USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS
ABSENTEES: NONE

LE Horton USS USN

APPROVED:

EXAMINED:

21. C. C. Reed

U. S. N. COMMANDING

Stacy R. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 1 July 64
(Day) (Date) (Month)08-12 MOORED AS BEFORE. 1032 MADE DAILY INSPECTION OF
MAGAZINES & TEMPERATURES. CONDITIONS: NORMAL RAJ. L. Hollis, CWO2-USA12-16 MOORED AS BEFORE.J. L. Hollis, CWO2-USA16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION
YAKE (MODIFIED).J. L. Hollis, CWO2-USA20-24 MOORED AS BEFORE.J. L. Hollis, CWO2-USA

APPROVED:

EXAMINED:

L. C. Breed

U. S. N. COMMANDING

Stey D. Mason

U. S. N. NAVIGATOR

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY 2 July 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	29.94	78	72	4	2000	ST			
02	040	7	10	SCT	29.94	78	72	4	2000	CU			
03	040	7	10	SCT	29.96	78	72	5	2000	CU			
04	040	7	10	SCT	29.97	79	72	4	2000	CU			
05	040	7	10	SCT	29.96	80	71	4	2000	CU			
06	040	6	10	SCT	29.95	81	71	4	2000	CU			
07	040	5	10	SCT	29.94	83	71	4	2000	CU			
08	040	5	10	BKN	29.94	78	70	8	1800	CU			
09	040	5	10	BKN	29.95	78	71	8	1800	ST			
10	040	5	10	L	29.94	77	72	8	1800	ST			
11	040	5	10	L	29.94	77	72	8	1800	ST			
12	035	4	10	L	29.93	77	72	8	1800	ST			
13	040	5	10	BKN	29.91	79	72	8	1800	ST			
14	040	4	10	SCT	29.90	81	72	5	1800	ST			
15	040	4	10	SCT	29.89	80	72	5	1800	ST			
16	040	6	10	BKN	29.89	82	74	7	1800	ST			
17	040	6	10	BKN	29.90	81	73	7	1800	ST			
18	040	6	10	BKN	29.90	79	71	6	1800	ST			
19	040	6	10	BKN	29.93	78	71	6	1800	ST			
20	040	6	10	BKN	29.93	78	71	6	1800	ST			
21	040	6	10	BKN	29.94	78	71	6	1800	ST			
22	040	6	10	BKN	29.95	78	70	6	1800	ST			
23	040	6	10	BKN	29.95	77	70	6	1800	ST			
24	040	4	10	BKN	29.93	77	70	6	1800	ST			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO AND OUT BOARD OF USS TOMBIGBEE (AOG-10) IN A NEST OF FIVE SHIPS, WITH STD. MOORING LINES DOUBLED. TOMBIGBEE PORTSIDE TO USS O'BANNON (DD-450) O'BANNON PORTSIDE TO USS TAYLOR (DD-468) TAYLOR PORTSIDE TO USS ISLE ROYAL (AD-29), ISLE ROYAL PORTSIDE TO BERTH - FOXTROT ONE (F-1) FORD ISLAND, NAVAL STATION, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (MODIFIED) SET, RECEIVING POTABLE WATER, STEAM, ELECTRICAL POWER & TELEPHONE SERVICES FROM THE REPAIRSHIP. SHIPS PRESENT INCLUDES VARIOUS UNITS OF THE U.S. PACIFIC FLEET, ALLIED NATIONS FLEET, DISTRICT AND SMALL CRAFT. SODPA IS COMCOPAC FLT.

J. L. Hallis, CWO2, USN

04-08 MOORED AS BEFORE. AT 0745 MUSTERED THE CREW SEX AT QUARTERS. ABSENTEES: NONE

J. L. Hallis, CWO2, USN

APPROVED:

EXAMINED:

H. C. Reed

U. S. N. COMMANDING

Sty R. R. R. R.

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

Thursday 2 July 1964
(Day) (Date) (Month)

08-12 Moored as before. 1003 made daily inspection of magazines. Conditions: Normal.

J. A. Hall
Ltjg USNR

12-16 Moored as before.

J. A. Hall
Ltjg USNR

16-20 Moored as before. 1800 set material condition yoke modified.

J. A. Hall
Ltjg USNR

20-24 Moored as before.

J. A. Hall
Ltjg USNR

APPROVED:

Lt. C. C. Reed

U. S. N. COMMANDING

EXAMINED:

Ltjg R. S. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNIAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Friday 3 July, 1964
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BK	2991	77	70	6	2000	ST			
02	040	4	10	SC	2990	76	70	5	2000	ST			
03	040	3	10	SC	2989	76	71	4	2000	CU			
04	040	3	10	SC	2989	76	71	4	2000	CU			
05	040	3	10	SC	2990	77	71	4	2000	CU			
06	040	3	10	SC	2990	77	72	4	2000	CU			
07	040	3	10	SC	2993	77	72	4	2000	CU			
08	040	3	10	RW	2994	78	71	7	2000	ST			
09	040	3	10	SC	2995	79	71	5	2000	ST			
10	040	4	10	SC	2994	80	71	4	2000	CU			
11	060	4	10	SC	2994	80	72	5	2000	CU			
12	060	5	10	SC	2994	81	74	5	2000	CU			
13	060	5	10	SC	2994	81	75	5	2000	CU			
14	060	5	10	SC	2995	82	76	5	2000	CU			
15	060	5	10	SC	2995	83	76	5	2000	CU			
16	060	5	10	SC	2990	85	76	5	2000	CU			
17	060	7	10	SC	2990	85	76	5	2000	CU			
18	060	7	10	SC	2990	85	76	5	2000	CU			
19	060	7	10	SC	2990	85	76	5	2000	CU			
20	060	5	10	SC	2992	77	71	5	2000	CU			
21	060	5	10	OC	2993	76	71	9	2000	CU			
22	060	5	10	OC	2994	76	71	9	2000	CU			
23	060	5	10	OC	2994	76	71	9	2000	CU			
24	060	4	10	BK	2994	76	70	7	2000	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 Moored starboard side to USS Tombigbee (AO-11) with standard mooring lines in a west of five ships at berth Foxrot one (F-1), Ford Island, U.S. Naval Station, Pearl Harbor Hawaii. Ships inboard out are: USS Isle Royale (AO-29), USS Taylor (DD-468), USS O'Bannon (DD-450), USS Tombigbee (AO-11), USS ABNIAKI (ATF-96). Material Condition Yoke (modified) is set. Receiving miscellaneous services from USS Isle Royale (AO-29). Ships present include various units of the U.S. Pacific Fleet, foreign, district and small craft. 30th is CINC PACFLT.

J. A. Hall
Ltjg USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: none

J. A. Hall, Ltjg USNR
Sty R. Mason, U.S. N. NAVIGATOR

APPROVED:

EXAMINED:

J. C. Reed

U. S. N. COMMANDING

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki CATF-96 Friday 3 July 19 64
(Day) (Date) (Month)

08-12 Moored as before. 0915 Made daily inspection of the magazines and weekly inspection of the spraying system conditions. Normal.

C. P. McKenzie, Ensign, USNR

12-16 Moored as before.

C. P. McKenzie, Ensign, USNR

16-20 Moored as before 1800 jet condition yoke modified 1805 Mastered the import duty preparatory Absentees: none.

C. P. McKenzie, Ensign, USNR

20-24 Moored as before.

C. P. McKenzie, Ensign, USNR

APPROVED:

St. C. Brad

U. S. N. COMMANDING

EXAMINED:

St. J. R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY 7 JULY, 19 67
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	3	10	SC	29.92	76	70	4	2000	CU			
02	045	3	10	SC	29.91	77	71	4	2000	CU			
03	050	4	10	SC	29.90	77	71	4	2000	CU			
04	050	6	10	SC	29.91	77	71	4	2000	CU			
05	050	6	10	SC	29.90	77	71	4	2000	CU			
06	050	6	10	BK	29.90	77	71	6	2000	CU			
07	050	6	10	SC	29.91	77	71	4	2000	CU			
08	045	6	10	BK	29.92	82	73	6	1500	ST			
09	045	6	10	BK	29.93	82	73	6	1500	ST			
10	045	6	10	BK	29.94	82	73	6	1500	ST			
11	045	6	10	BK	29.94	82	73	6	1500	ST			
12	040	4	10	BK	29.94	83	73	6	1500	ST			
13	040	4	10	BK	29.95	85	74	6	1500	ST			
14	040	3	8	L	29.93	85	74	7	1500	ST			
15	040	6	10	SC	29.91	86	75	5	2000	ST			
16	040	6	10	SC	29.93	84	74	5	2000	CU			
17	040	6	10	SC	29.94	83	73	5	2000	CU			
18	040	5	10	SC	29.95	80	72	5	2000	CU			
19	040	5	10	SC	29.97	79	72	5	2000	CU			
20	040	5	10	SC	29.99	78	71	5	2000	CU			
21	040	5	10	SC	29.97	78	71	5	2000	CU			
22	040	5	10	SC	29.97	78	71	5	2000	CU			
23	040	5	10	SC	29.97	78	71	5	2000	CU			
24	040	5	10	SC	29.98	78	71	4	2000	CU			

POSITION ZONE TIME

0800 L _____ BY _____

1200 L _____ BY _____

2000 L _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

758

REMARKS

00-04 Moved starboard side to USS Tombigbee (AO-8-11) with standard mooring lines doubled in a nest of five ships at berth Fortuit One (F-1) US Naval Base Ford Island Pearl Harbor Hawaii. Tombigbee moored port side to USS O'Bannon (DD-450). O'Bannon moored port side to USS Taylor (DD-468). Taylor moored port side to USS Lake Royale (AO-29). Lake Royale moored in berth Fortuit One (F-1) in Material Condition Yobe modified is set. Receiving electrical, fresh water and telephone services from the pier. Ships present include various units of the US Pacific Fleet, District and Yard Craft. Lt C. P. McKenize, USNR

04-08 Moored as before. 0745 Mustered the crew on station absentees: none. Lt C. P. McKenize, USNR

APPROVED:

EXAMINED:

Lt. C. P. Reed

U. S. N. COMMANDING

Styeg D. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday 4 June 19 64
(Day) (Date) (Month)08-12 MOORED AS BEFORE 1425 MADE DAILY INSPECTION
OF MAGAZINES: CONDITIONS: NORMALLE Horton
LTJG USN12-16 MOORED AS BEFORELE Horton
LTJG USN16-20 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL
CONDITION YOKELE Horton
LTJG USN20-24 MOORED AS BEFORELE Horton
LTJG USN

APPROVED:

L. C. Beed

U. S. N. COMMANDING

EXAMINED:

Styge R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Albatross ATF-96 ZONE DESCRIPTION +10 DATE Sunday 5 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	7	10	SCT	29.97	78	71	4	2000	CU			
02	040	8	10	SCT	29.96	77	71	3	2000	CU			
03	040	5	10	SCT	29.95	77	71	3	2000	CU			
04	040	5	10	SCT	29.94	77	71	3	2000	CU			
05	040	5	10	SCT	29.95	78	71	3	2000	CU			
06	040	5	10	SCT	29.97	78	71	3	2000	CU			
07	040	5	10	SCT	29.99	79	71	4	2000	CU			
08	040	6	10	SCT	29.98	78	71	4	2000	CU			
09	040	6	10	SCT	29.99	80	72	5	2000	CU			
10	040	8	10	SCT	29.99	81	71	3	2000	CU			
11	040	6	10	SCT	29.99	82	72	3	2000	CU			
12	040	6	10	SCT	29.99	84	73	3	2000	CU			
13	040	6	10	SCT	29.97	84	74	5	2000	CU			
14	040	6	10	SCT	29.96	84	75	5	2000	CU			
15	040	6	10	SCT	29.94	84	75	5	2000	CU			
16	040	5	10	SCT	29.93	84	75	5	2000	CU			
17	040	5	10	SCT	29.92	85	75	5	2000	CU			
18	040	5	10	SCT	29.93	83	74	5	2000	CU			
19	040	5	10	SCT	29.94	80	73	5	2000	ST			
20	040	6	10	BW	29.95	79	73	6	2000	ST			
21	080	2	10	BW	29.98	79	73	8	1800	ST			
22	075	4	10	BW	29.99	78	73	8	1800	ST			
23	070	1	7	L	29.98	79	74	8	1800	ST			
24	070	5	7	L	29.98	78	74	8	1800	ST			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

ΦΦ-04 MOORED STARBOARD SIDE TO OUTBOARD OF USS TOMBIGBEE (AOG-11), WITH STANDARD MOORING LINES DOUBLED, IN A NEST OF FIVE SHIPS AT BERTH FOXTROT ONE US NAVAL STATION PEARL HARBOR HAWAII. OTHER SHIPS IN NEST ARE USS O'BANNON (DD 540) IN BOARD OF TOMBIGBEE, USS TAYLOR (DD 468) IN BOARD OF O'BANNON, AND USS ISLE ROYAL (AD-29) IN BOARD OF TAYLOR, MOORED TO THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE ISLE ROYAL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

JE Horton
LTJG USN.

Φ4-Φ8 MOORED AS BEFORE. Φ719 KARNES, WILLIAM L. JR 39Φ53 35 RM3 USN RETURNED ON BOARD IN CUSTODY OF NASP. Φ745 MUSTERED ON STATIONS. ABSENTEES: NONE. CARL J. JAMES JR

APPROVED: 320 05 83 SFM2, USN

EXAMINED:

L. C. Reed

U. S. N. COMMANDING

Styly D. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY 5 JULY 1964
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0827 CARLIE, JAMES G.,
300-05-83 SMC RETURNED ABOARD U/A APPROXIMATELY 42 MINUTES.
0915 MADE DAILY INSPECTIONS OF MAGAZINES. CONDITIONS: NORMAL.

J. L. Hollis, CWO-2, USN

12-16 MOORED AS BEFORE.

J. L. Hollis, CWO-2, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION
YORK (MODIFIED).

J. L. Hollis, CWO-2, USN

20-24 MOORED AS BEFORE.

J. L. Hollis, CWO-2, USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Stjg R. D. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + 10W DATE MONDAY 6 JULY 1964
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	070	5	10	SC	2998	78	76	5	1800	ST			
02	070	5	10	SC	2997	78	76	5	1800	ST			
03	070	6	10	SC	2998	78	76	5	1800	ST			
04	070	6	10	SC	2996	78	76	5	1800	ST			
05	070	4	10	BK	2994	78	74	6	1800	ST			
06	070	4	10	BK	2993	78	73	6	2000	ST			
07	050	4	10	SC	2993	78	73	5	2000	CU			
08	050	4	10	SC	2993	80	74	5	2000	CU			
09	050	3	10	SC	2993	80	75	5	2000	CU			
10	050	3	10	SC	2993	80	75	5	2000	CU			
11	290	4	10	SC	2994	81	76	4	2000	CU	80	100	1
12	290	4	10	SC	2995	81	76	5	1800	CU	80	100	1
13	290	4	10	SC	2996	82	77	5	1800	CU	80	100	1
14	290	5	10	SC	2997	82	77	5	1800	CU	80	100	1
15	290	4	10	SC	2997	82	77	5	1800	CU	80	100	1
16	040	4	10	SC	2997	82	77	5	1800	CU	80	100	1
17	040	4	10	SC	2997	82	77	5	1800	CU	80	100	1
18	040	4	10	SC	2997	84	77	5	2000	CU	80	100	1
19	040	4	10	SC	2996	83	77	4	2000	CU			
20	040	4	10	SC	2995	82	75	4	2000	CU			
21	040	4	10	SC	2995	81	75	4	2000	CU			
22	040	4	10	SC	2994	80	75	3	2000	CU			
23	040	4	10	SC	2995	80	75	3	2000	CU			
24	040	3	10	SC	2999	80	74	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
28

FUEL CONSUMED 0000-2400
1135

REMARKS

00-04 MOORED PORTSIDE TO AND OUT BOARD U.S.S. TOMBIGBEE (BOG-11) IN ANGST OF FIVE SHIPS WITH STD. MOORING LINES DOUBLED - TOMBIGBEE OUT BOARD, PORTSIDE TO USS O'BANNON (DD-450) O'BANNON PORTSIDE TO USS TAYLOR (DD-468) TAYLOR PORTSIDE TO USS ISLE ROYAL (AD-29) ISLE ROYAL PORTSIDE TO BERTH FOXTROT ONE (F-1) FORD ISLAND NAVAL STATION, PEARL HARBOR HAWAII MATERIAL CONDITION CONDITION YOKA (MODIFIED) SET, RECEIVING ELECTRICAL POWER STEAM POTABLE WATER + TELEPHONE SERVICES FROM ISLE ROYAL. SHIPS INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET ALLIED NATIONS, DISTRICT & SMALL CRAFT. SOPA IS CINCPAC FLT.

J. P. Hollis CWO-2-USA

04-08 MOORED AS BEFORE. 0625 SHIFTED ELECTRICAL POWER, STEAM + POTABLE WATER SERVICES TO SHIPS UNITS. 0715 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY.

APPROVED:

EXAMINED:

X. C. Reed

U. S. N. COMMANDING

Sty R. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP DONAKI (ATF-96) Monday 6 July 1964
(Day) (Date) (Month)

04-08 (cont) 0730 Set the SPECIAL SEA AND ANCHOR DETAIL. 0720 MUSTERED THE CREW ON STATIONS. ABSENTEES, NONE. 0745 UNDERWAY IN ACCORDANCE WITH USS ISLE Royal MSG. 03-0002 Z of July, 1964 & VERBAL PERMISSION FROM NAUSTA. PORT CONTROL. CAPTAIN AND NAVIGATOR ABOARD THE BRIDGE. ^{DEPT FWD, 13'8" AFT, 16'6"} COMMENCED STEERING VARIOUS COURSES AND SPEEDS TO CONFORM TO INNER HARBOR & CHANNEL. 0750 PASSED BUOY P-1 ABEAM TO STBD-150 yds. 0756 C/C 180°, 05 knots.

J. L. Hollis. CWO-2, USN

08-12 UNDERWAY AS BEFORE. 0805 05s ALL STOP. 0813 COMMENCED APPROACH TO BERTH ALFA FIVE (A-5) 0818 MOORED PORT SIDE TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION, PEARL HARBOR HAWAII, WITH STD. MOORING LINES DOUBLED. 0823 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET THE IMPORT WATCH.

J. L. Hollis. CWO-2, USN

08-12 (cont) 0945 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 0950 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0957 completed making preparations for getting underway. Captain, Navigator on the bridge, COB has the conn. 1010 Underway for Local Operations to compensate Magnetic Compass in accordance with verbal order of COMFLT-RAGRE. 1013 Commenced maneuvering on various courses at various speeds to clear berth and head fair in channel. 1013 Captain has the conn. 1023 COB has the conn. 1026 1/2 to 156; passed buoy (7) abeam. 1027 Passed buoy Galea to stbd. 1032 Passed buoy 3 abeam to stbd 1036 1/2 to 155 1/2 8.9. *1056 Entered international waters, 1/2 to 260. 1111 1/2 to 276. 1041 Made daily inspection of MAGAZINE CONDITIONS. NORMAL. 1125 STEERING VARIOUS COURSES AT VARIOUS SPEED WHILE SWINGING SHIP

17-16 UNDERWAY AS BEFORE MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE COMPENSATING MAGNETIC COMPASS.

J. L. Hollis
LTJG USN

~~18-20~~ 16-20 Underway as before, maneuvering on various courses at various speeds while compensating magnetic compass. 1928 Completed compensating compasses

Sigs. R. D. Mason, USN

2024 UNDERWAY AS BEFORE 2007 1/2 TO 335° SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. COB HAS THE CONN. 2012 1/2 TO 337° 2015 PASSED PEARL HARBOR CHANNEL BUOY ONE ABEAM TO STBD APPROX 50 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL AND MOOR IN BERTH ALFA SIX OUT BOARD OF USS LIPAN (ATF-85). 2032 MOORED OUT BOARD USS LIPAN (ATF-85) IN BERTH ALFA SIX U.S. NAVAL STATION PEARL HARBOR, HAWAII. SECURED SPECIAL SEA AND ANCHOR DETAIL.

J. L. Hollis LTJG USN

APPROVED:

EXAMINED:

A. C. C. Bud

U. S. N. COMMANDING

Sigs. R. D. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Shanklin ATF-96 ZONE DESCRIPTION #10 DATE Tuesday 7 July 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO Johnston Island

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	040	3	10	SC	3003	80	75	3	2000	CU						
02	040	3	10	SC	3000	80	73	3	2000	CU						
03	040	3	10	SC	2998	79	70	3	2000	CU						
04	040	3	10	SC	2998	79	70	3	2000	CU						
05	045	2	10	SC	2998	79	70	3	2000	CU						
06	045	2	10	SC	3000	79	74	4	2000	CU						
07	060	2	10	SC	3000	80	74	4	2000	CU						
08	050	2	10	SC	3000	80	74	4	2000	CU						
09	023	8	10	SC	2999	81	75	3	2000	CU	80	023	1			
10	020	14	10	SC	2999	85	77	3	2000	CU	80	020	2			
11	020	13	10	SC	2999	89	79	3	2000	CU	80	020	2			
12	050	13	10	SC	2999	90	80	2	2000	CU	80	020	2			
13	050	14	10	SC	2999	90	80	2	2000	CU	80	020	2			
14	010	14	10	SC	2999	90	80	2	2000	CU	80	060	2			
15	010	14	10	SC	2999	90	80	2	2000	CU	80	060	2			
16	010	14	10	SC	2997	87	80	2	2000	CU	80	060	2			
17	020	14	10	SC	2994	83	78	4	2000	CU	80	060	2			
18	045	13	10	SC	2992	81	75	4	2000	CU	81	060	2			
19	050	14	10	SC	2991	80	75	4	2000	CU	81	060	2			
20	050	17	10	SC	2995	79	75	5	2000	CU	81	060	2			
21	050	16	10	SC	2998	79	75	5	2000	CU	81	060	2			
22	050	16	10	SC	2998	79	75	5	2000	CU	81	060	2			
23	050	18	10	SC	2997	79	75	5	2000	CU	81	060	2			
24	050	15	10	SC	2997	79	75	5	2000	CU	81	060	2			

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM 1200 7 July 1964
(ZT) (Date)
TO 2000 7 July 1964
(ZT) (Date)
SET 350
DRIFT .25KT
POSITION BETWEEN FIXES
MID. L 20-29.0N
MID. 159-29.7W

MILES STEAMED
0000-2400
205.9

FUEL CONSUMED
0000-2400
3309

REMARKS

~~04-08~~ 00-04. Moved starboard side to berth A-6 outboard
USS LIGAN (ATF-85), U.S. NAVAL STATION, Pearl Harbor Hawaii
with STANDARD MOORING LINES doubled. Receiving potable services
from the pier. Material condition Yoke (Modified) SET. Ships present
include various units of the U.S. Pacific Fleet, yard and district
craft. SOPA is CINCPACFLT

Styx R. Mason, USN

04-08 Moored as before. 0630 commenced making preparations for
getting underway. 0655 Mustered the crew at quarters: absentees
none. 0700 Completed making all preparations for getting underway.
DRAFT 13'10" Fwd, 16'4" aft. 0710 SET the SPECIAL SEA AND Anchor
detail. Captain, and Navigator on the bridge. OOD has the
conn. 0800 Underway for Johnston Island in accordance
with COMSEOPAC SAILORD 010624Z of July 1964. 0802
commenced STEERING various courses at various speeds while
clearing berth and head fair in the channel. 0808 PASSED

APPROVED:

EXAMINED:

L. C. Beel

U. S. N. COMMANDING

Styx R. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Tuesday 7 July 1964
(Day) (Date) (Month)

buoy 9 abeam to port. 9/5 to 7 KTS 1/2 163. 0811 PASSED buoy 7
abeam to port. 0813 PASSED buoy 5 abeam to port. 0815
PASSED buoy 3 abeam to port. 0819 PASSED buoy 1 abeam
to port; 9/5 to 13.3. 0920 Secured To SPECIAL SEA AND Anchor
detail.

Sty R. M. Mason, USNR

08-12 (continued) 0825 c/c 203 0831 c/c 211. 0957 c/c
to 229. 1103 Made daily inspection of the magazines. Conditions:
Normal.

Ens C. J. McKenzie, USNR

12-16 UNDERWAY AS BEFORE

J. A. O'Brien BMCA USN

16-18 UNDERWAY AS BEFORE.

Jal. Hallid, CW02-USN

18-20 Underway as Before

J. E. Horton
KTSB USN

20-24 Underway as Before.

C. J. McKenzie, Cens, USNR

APPROVED:

Lt. C. C. Beal

U. S. N. COMMANDING

EXAMINED:

Lt. R. M. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION T 10 W DATE WEDNESDAY 8 JULY, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	130	15	10	SCT	2998	79	75	3	2000	CU	81	050	2
02	130	16	10	SCT	2998	79	75	4	1800	CU	81	050	2
03	130	15	10	SCT	2998	79	75	3	1800	CU	81	050	2
04	110	15	10	SCT	2998	79	75	3	1800	CU	81	050	2
05	100	16	10	SCT	2993	78	74	2	1800	CU	81	050	2
06	100	16	10	SCT	2993	79	74	2	1800	CU	81	050	2
07	090	16	10	SCT	2994	79	74	3	1800	CU	81	050	2
08	050	15	10	BKN	2994	81	74	6	1800	CU	81	050	2
09	050	15	10	BKN	2996	84	76	6	1800	CU	81	050	2
10	050	14	10	BKN	2996	84	76	6	1800	CU	81	050	2
11	060	13	10	BKN	2996	84	76	6	1800	CU	81	050	2
12	060	9	10	BKN	2997	86	78	6	1800	CU	81	050	2
13	060	8	10	BKN	2997	86	78	6	1800	CU	81	050	2
14	060	9	10	BKN	2997	86	78	6	1800	CU	81	050	2
15	060	8	10	BKN	2996	88	79	7	1800	CU	81	050	2
16	060	8	10	BKN	2993	84	77	7	1800	CU	81	050	2
17	060	7	10	BKN	2993	84	77	7	1800	CU	81	050	2
18	060	12	10	BKN	2993	84	77	7	1800	CU	81	050	2
19	070	14	10	SCT	2992	83	76	5	2000	CU	81	050	2
20	070	14	10	SCT	2996	80	75	4	2000	CU	81	050	2
21	085	15	10	SCT	2998	80	75	4	2000	CU	81	050	2
22	085	14	10	SCT	2998	80	75	4	2000	CU	81	050	2
23	085	14	10	SCT	2998	80	75	4	2000	CU	81	050	2
24	090	14	10	SCT	2996	79	74	5	2000	CU	81	050	2

POSITION	ZONE	TIME
0800		
L <u>19-19.2 N</u>	BY <u>1-2</u>	
λ <u>162-46.7W</u>	BY <u>1-2</u>	
1200		
L <u>19-01.5 N</u>	BY <u>2</u>	
λ <u>163-36.0W</u>	BY <u>2</u>	
2000		
L <u>18-29.0 N</u>	BY <u>2</u>	
λ <u>165-21.0W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0800 8 July 1962 (ZT) (Date)
TO	1200 8 July 1962 (ZT) (Date)
SET	110
DRIFT	4 KT
POSITION BETWEEN FIXES	
MID. L	19-09.8 N
MID. λ	163-11.3 W

MILES STEAMED 0000-2400
312.6

FUEL CONSUMED 0000-2400
2935

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL
HARBOR, ~~HAW~~ HAWAII TO JOHNSTON ISLAND. IN ACCORDANCE
WITH COM SERV PAC SAIL ORD 010624Z OF JULY 1964
BASE COURSE 251°T BASE SPEED 13.3 KTS. MATERIAL
CONDITION YOKE (MODIFIED) READINESS CONDITION V
ENGINEERING CONDITION III DAMAGE CONTROL CONDITION
III ARE SET

John D. Jones BMCH USN

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED CREW ON STATIONS - ABSENTEES: NONE

Jul. Hallio 0002-125N

APPROVED:

A. C. Reed

U. S. N. COMMANDING

EXAMINED:

Hyd Raman

- U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Albatross (AS-96) Wednesday 8 July 19 67
(Day) (Date) (Month)08-12 1100 UNDERWAY AS BEFORE. JCHL. E. Hackett
LTJG USN12-18 Underway as before cmC. P. McKenzie, Ens, USNR16-18 UNDERWAY AS BEFORE.J. H. Johnson, BMCA, USN18-20 UNDERWAY AS BEFORE. 1941 EXERCISED THE CREW
AT GENERAL QUARTERS - TO EXERCISE THE SUN
CREW. EXPENDED SIX (6) ROUNDS OF 3.51 ILLUMINATION
STAR SHELLS AND EIGHTEEN (18) ROUNDS OF 3.51 AA COMMON.J. H. Hollis, CWO4, USN20-24 UNDERWAY AS BEFORE. 2000 ϕ 246° 2004 SET
MATERIAL CONDITION YOKB. 2007 SECURED FROM GENERAL
QUARTERS AND SET THE REGULAR READINESS CONDITION WATCH. JCHJ. H. Hollis, CWO-2, USN24-24 (CONT) UNDERWAY AS BEFORE 2427 SIGHTED SATELITE BEARING
180° ELEVATION 35° ON A WEST TO EAST COURSE. 2449 ϕ TO
230° 2144 ϕ TO 246° 2125 ϕ TO 245°L. E. Hackett
LTJG USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

J. H. R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Albatross (AGF-96) ZONE DESCRIPTION +10.0W DATE Thursday 9 July, 1964
AT/PASSAGE FROM Pearl Harbor, Hawaii TO Johnston Island

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	14.5	10	SC	29.96	79.94		5	2000	CU	81	080	2
02	090	14	10	SC	29.96	79.74		5	2000	CU	81	080	2
03	088	13.5	10	SC	29.94	79.74		5	2000	CU	81	080	2
04	088	14	10	SC	29.94	79.74		5	2000	CU	81	080	2
05	095	14	10	SC	29.91	79.75		3	2000	CU	81	080	2
06	097	13	10	SC	29.90	79.75		3	2000	CU	81	080	2
07	090	13	10	SC	29.90	80.76		3	2000	CU	81	080	2
08	080	14	10	SC	29.89	82.75		3	2000	CU	81	080	2
09	080	13	10	SC	29.92	84.77		3	2000	CU	81	080	2
10	086	17	10	SC	29.94	86.79		3	2000	CU	81	080	2
11	089	14	10	SC	29.95	88.80		4	2000	CU	81	080	2
12	077	16	10	SC	29.96	86.78		4	2000	CU	81	080	2
13	081	15	10	SC	29.93	86.78		4	2000	CU	81	080	2
14	086	15	10	SC	29.90	86.78		4	2000	CU	81	080	2
15	080	13.5	10	SC	29.87	86.78		4	2000	CU	81	080	2
16	080	13	10	SC	29.84	86.78		4	2000	CU	81	080	2
17	080	13	10	SC	29.84	86.78		4	2000	CU			
18	080	13	10	SC	29.82	87.77		2	2000	CU			
19	080	10	10	SC	29.82	87.77		2	2000	CU			
20	080	5	10	SC	29.82	84.77		3	2000	CU			
21	080	6	10	SC	29.83	86.76		3	2000	CU			
22	080	4	10	SC	29.83	85.76		3	2000	CU			
23	080	4	10	SC	29.84	85.75		3	2000	CU			
24	080	4	10	SC	29.84	85.75		3	2000	CU			

POSITION	ZONE	TIME
0800		
L <u>17-23N</u>	BY <u>2</u>	
λ <u>167-49.3W</u>	BY <u>2</u>	
1200		
L <u>17-03N</u>	BY <u>2</u>	
λ <u>168-36W</u>	BY <u>2</u>	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM <u>0800 9 July 1964</u>	(ZT) (Date)
TO <u>1200 9 July 1964</u>	(ZT) (Date)
SET <u>050</u>	
DRIFT <u>.1 KT</u>	
POSITION BETWEEN FIXES	
MID. L <u>17-13.0N</u>	
MID. λ <u>168-12.6W</u>	

MILES STEAMED 0000-2400
<u>216.6</u>

FUEL CONSUMED 0000-2400
<u>1886</u>

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Johnston Island in accordance with Commander's Order 010624Z July 1964. Base course 245° Base speed 13.3 KTS. Material Condition Yoke (Modified), Readiness Condition II, Engineering Condition III, Damage Control Condition III are set.

C.P. McKenzie, Ensign, USNR

04-08 UNDER WAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES; NONE.

J.H. DeSane BMCA USN

APPROVED:

A.C. Reed

U. S. N. COMMANDING

EXAMINED:

Stacy R. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY 9 July 1964
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE. 0812 C/S 6.7 Kts. 13.3 Kts. 1013 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS. NORMAL.

12-16 Underway As Before 1200 C/S TO 243° 1516 MADE LANDFALL JOHNSTON ISLAND LORAN TOWER BEARING 271° DISTANCE 15 MILE. 1556 C/S 280°

J. L. Hollis, CWO2 USN
J. E. Horton
LTC USN

16-20 UNDERWAY AS BEFORE. 1614 C/S 270°, 1615 C/S 260°, 1630 C/S 010°, 1632 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1634 CAPTAIN AND NAVIGATOR ON THE BRIDGE. COMMENCE STEERING VARIOUS COURSES AND SPEEDS ENTERING THE CHARTED CHANNEL & HARBOR OF JOHNSTON ISLAND. BASE COURSE 000°. 1647 PASSED BUOY TWO (2) ABEAM TO STBD. APPROXIMATELY 100 YDS. 1653 PASSED BUOY FOUR (4) ABEAM TO STBD. APPROXIMATELY 100 YARDS. 1703 THE CAPTAIN HAS THE CONN. 1705 MOORED PORT SIDE TO AT USN APH-55 AT JOHNSTON ISLAND. 1709 STD. MOORING LINES DOUBLED. 1713 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET THE REGULAR IN-PORT WATCH.

C. P. McKernie, En, USMR

16-20 (cont) 1800 SECURED THE SET MATERIAL CONDITION SET YOKES (modified). 1912 MUSTERED THE CREW AT QUARTERS, ABSENTEES, None. 1941 KELLY, Johnny L. 721-93-93, Gm1 PURSUANT TO THE ORDERS OF THE COMMANDING DEPARTED THE SHIP TO REPORT TO THE U.S. AIR FORCE police Detachment JOHNSTON ISLAND FOR DUTY (Temporary) ON SHORE PATROL.

J. L. Hollis, CWO2 USN

20-24 MOORED AS BEFORE. 2337 Kelly, Johnny L. 721-93-93 Gm1 Reported aboard having completed temporary shore patrol duty.

J. L. Hollis, CWO2 USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Stey R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY 10 July 1964
 AT/PASSAGE FROM JOHNSTON ISLAND TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	080	4	10	SC	29.84	85	75	3	2000	CU							
02	080	4	10	SC	29.84	85	75	3	2000	CU							
03	080	4	10	SC	29.84	85	75	3	2000	CU							
04	080	3	10	SC	29.83	78	76	3	2000	CU							
05	080	3	10	SC	29.82	77	76	3	2000	CU							
06	080	3	10	SC	29.81	78	76	3	2000	CU							
07	080	3	10	SC	29.81	79	76	3	2000	CU							
08	080	3	10	SC	29.82	80	76	3	2000	CU							
09	080	3	10	SC	29.83	83	76	3	2000	CU							
10	080	3	10	SC	29.85	84	77	3	2000	CU							
11	080	3	10	SC	29.87	86	78	3	2000	CU							
12	080	3	10	SC	29.87	86	78	3	2000	CU							
13	070	4	10	SC	29.89	87	77	3	2000	CU							
14	065	4	10	SC	29.90	88	79	3	2000	CU							
15	087	14	10	SC	29.87	86	78	3	2000	CU							
16	089	18	10	SC	29.82	84	75	4	2000	CU	81	090	2				
17	080	16	10	SC	29.81	84	75	4	2000	CU	82	090	2				
18	080	18	10	SC	29.80	84	75	5	2000	CU	82	090	2				
19	080	18	10	SC	29.81	82	75	5	2000	CU	82	090	2				
20	080	18	10	BK	29.84	80	74	8	2000	CU	82	090	3				
21	080	18	10	BK	29.84	80	74	8	2000	CU	82	090	3				
22	080	18	10	SC	29.86	79	73	2	2000	CU	82	090	3				
23	080	18	10	SC	29.86	79	73	2	2000	CU	82	090	3				
24	080	18	10	SC	29.86	79	73	2	2000	CU	82	090	3				

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

90.4

FUEL CONSUMED 0000-2400

2888

REMARKS

00-04 MOORED OUT BOARD OF AND PORT SIDE TO USN APL-55 JOHNSTON ISLAND WITH STD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. ALL SHIP'S SERVICES BEING SUPPLIED BY SHIP'S UNITS. SHIP'S PRESENT INCLUDES VARIOUS SMALL CRAFT & HARBOR TUGS. SOPA IS C.O. ABNAKI.

J. L. Hollis, CWO2-USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

J. L. Hollis, CWO2

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Stacy R. Mason

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410W DATE SATURDAY 11 July 1964
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	18	10	L	2988	78	72	8	2000	ST	81	090	3
02	060	18	10	L	2988	78	72	8	2000	ST	81	090	3
03	060	17	10	L	2988	78	72	8	2000	ST	81	090	3
04	110	17	10	BKN	2986	79	74	8	2000	ST	81	090	3
05	090	15	10	BKN	2987	79	74	6	2000	ST	81	090	3
06	080	16	10	BKN	2989	80	75	8	2000	ST	81	090	3
07	080	16	10	BKN	2989	80	75	8	2000	Cu	81	090	3
08	080	19	10	SCT	2990	80	74	5	2000	Cu	82	090	3
09	080	16.5	10	SCT	2991	80	74	5	2000	Cu	82	090	3
10	080	17	10	SCT	2991	82	75	5	2000	Cu	82	090	3
11	080	21	10	SCT	2992	82	75	5	2000	Cu	82	090	3
12	070	20	10	SCT	2991	81	74	4	2000	Cu	82	090	3
13	070	20	10	SCT	2991	81	74	4	2000	Cu	82	090	3
14	070	18	10	SCT	2990	80	73	4	2000	Cu	82	090	3
15	070	16	10	SCT	2990	80	73	4	2000	Cu	82	090	3
16	070	18	10	SCT	2988	85	74	2	2000	Cu	82	090	3
17	070	18	10	SCT	2987	85	74	2	2000	Cu	82	090	3
18	070	18	10	SCT	2986	82	73	4	2000	Cu	82	090	3
19	070	18	10	SCT	2985	80	73	4	2000	Cu	82	090	3
20	080	21	10	SCT	2986	80	73	5	2000	Cu	82	090	3
21	080	19.5	10	SCT	2988	79	74	5	2000	Cu	82	090	3
22	080	18	10	SCT	2989	79	74	5	2000	Cu	81	090	3
23	080	20	10	SCT	2991	79	74	5	2000	Cu	81	090	3
24	080	20	10	SCT	2991	79	74	5	2000	Cu	81	090	3

POSITION	ZONE	TIME
0800		
L <u>17-28.7N</u>	BY <u>2</u>	
λ <u>167-02.2W</u>	BY <u>2</u>	
1200		
L <u>17-44.5N</u>	BY <u>2</u>	
λ <u>166-29.5W</u>	BY <u>2</u>	
2000		
L <u>18-08.7N</u>	BY <u>2</u>	
λ <u>165-29.0W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM <u>2000 10 July 1964</u>	(ZT) (Date)
TO <u>0800 11 July 1964</u>	(ZT) (Date)
SET <u>085</u>	
DRIFT <u>1.2 KT</u>	
POSITION BETWEEN FIXES	
MID. L <u>17-10.1N</u>	
MID. λ <u>167-5.55W</u>	

MILES STEAMED 0000-2400
<u>217.5</u>

FUEL CONSUMED 0000-2400
<u>3164</u>

REMARKS

STEAMING INDEPENDENTLY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII WITH APH-55 IN TOW IN ACCORDANCE WITH COMSEROPAC SAILORDER 010624Z OF JULY, 1964. BASE COURSE 068°, SPD 13.3 Kts. MATERIAL CONDITION YAKE (modified) SET. READINESS CONDITION V, DAMAGE CONTROL & ENGINEERING CONDITIONS III SET. 1700 FT. OF WIRE OUT TO TOW (2" wire) SET ON AUTOMATIC AT 44000 lbs.

John Hallis, CW02-USN

PH-08 UNDERWAY AS BEFORE 0745 MUSTERED CREW ON STATIONS; ABSENTEES: NONE

LTJG USN.

APPROVED:

A. C. Reed

U. S. N. COMMANDING

EXAMINED:

Styus R. Noxon

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday 11 July 1967
(Day) (Date) (Month)

08-12 Underway as before. 0935 c/c to 045. 0955 c/c to 040°
 1004 c/c 025 1011 c/c to 040°. 1017 c/c 055° 1020 Made
 daily inspection of Magazine. Conditions: Normal 1025 c/c to 070°
 1031 c/c to 085° 1043 c/c to 100°. 1054 c/c to 068°

C. P. McKenzie, En, USNR

12-16 UNDERWAY AS BEFORE

J. H. Deane BMCA USN

16-18 UNDERWAY AS BEFORE. 1706 c/s 12.3 KTS.

J. L. Hollis, CW02 USN

18-20 Underway As before 1805 c/s to 110 RPMs - 13.3 KTS

J. E. Horton
LTJG USN

20-24 Underway as before.

C. P. McKenzie, En, USNR

APPROVED:

Lt. C. C. Beed

U. S. N. COMMANDING

EXAMINED:

Sty R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 W DATE SUNDAY 12 JULY, 1964
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	080	16	10	SCT	2990	80	73	2	2000	cu	81	090	3
02	080	18	10	SCT	2990	80	73	2	2000	cu	81	090	3
03	080	18	10	SCT	2990	80	73	2	2000	cu	81	080	3
04	080	18	10	SCT	2990	80	74	2	2000	cu	81	080	3
05	080	20	10	SCT	2989	80	74	2	2000	cu	81	080	3
06	080	15	10	SCT	2990	80	74	2	2000	cu	81	080	3
07	080	15	10	SCT	2991	80	73	2	2000	cu	81	080	3
08	080	14	10	SCT	2993	80	74	2	2000	cu	81	080	3
09	080	15	10	SCT	2993	80	74	2	2000	cu	81	080	3
10	080	14	10	SCT	2992	81	74	2	2000	cu	81	080	3
11	080	13	10	SCT	2993	82	75	2	2000	cu	81	080	3
12	080	13	10	SCT	2992	82	76	5	2000	cu	81	080	3
13	080	15	10	SCT	2992	84	77	5	2000	cu	81	080	3
14	080	15	10	SCT	2991	83	76	5	2000	cu	81	080	3
15	080	9	10	BKW	2990	82	76	7	2000	ST	81	080	3
16	080	11	7	OK	2989	80	75	9	2000	ST	81	080	3
17	080	12	7	L	2989	80	75	9	2000	ST	81	080	3
18	080	12	7	R	2986	78	72	9	2000	ST	81	080	3
19	080	14	10	L	2986	78	72	9	2000	ST	81	080	3
20	080	12	10	BKW	2992	80	75	8	2000	ST	81	080	3
21	080	11	10	BKW	2993	80	75	8	2000	ST	81	080	3
22	080	9	10	BKW	2994	80	75	8	2000	ST	81	080	3
23	080	9	10	BKW	2997	80	75	8	2000	ST	81	080	3
24	080	11	10	BKW	2995	78	75	8	2000	ST	81	080	3

POSITION	ZONE	TIME
0800		
L <u>18-47.3N</u>	BY <u>2</u>	
λ <u>163-38.5W</u>	BY <u>2</u>	
1200		
L <u>19-00.5N</u>	BY <u>2</u>	
λ <u>163-03W</u>	BY <u>2</u>	
2000		
L <u>19-26N</u>	BY <u>2</u>	
λ <u>161-49.5W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM <u>1200 12 July 1964</u>	(ZT) (Date)
TO <u>2000 12 July 1964</u>	(ZT) (Date)
SET <u>40</u>	
DRIFT <u>.3KT</u>	
POSITION BETWEEN FIXES	
MID. L <u>19-13.2N</u>	
MID. λ <u>162-21.2W</u>	

MILES STEAMED 0000-2400
<u>220.6</u>

FUEL CONSUMED 0000-2400
<u>3475</u>

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII WITH (APL 55) IN TOW. IN ACCORDANCE WITH COM SERV PAC SAIL ORD 010624Z OF JULY 1964. BASE COURSE 068° BASE SPEED 13.3 KTS. MATERIAL CONDITION YOKE (MODIFIED), READINESS CONDITION II, ENGINEERING CONDITION III, DAMAGE CONTROL CONDITION III ARE SET. 1700 FEET OF WIRE TO TOW ON AUTOMATIC SET AT 44,000 LBS.

JFA Deforme BMCA USN

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

APPROVED:

EXAMINED:

Lt. C. C. Reed

U. S. N. COMMANDING

J. L. Hollis, CWO2, USN

Ltjg R. D. Moser

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Chapin (AT-96)

Sunday 12 July 64
(Day) (Date) (Month) 19 64

08-12 Underway as before 0950 made daily inspection of Engines: Condition normal

E. Horton
LTJG USN

12-16 Underway as before.

C. P. McKenzie, Sr., USN

16-18 Underway as before.

J. R. Brown, BMCA USN

18-20 Underway as before.

J. L. Hollis, CW2, USN

20-24 Underway as before. At 0800 c/s to 064 c/s to 99 rpm, 12.2 knots.

E. Horton
LTJG USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Sty R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Albatross ATF-96 ZONE DESCRIPTION +10W DATE Monday 13 July 19 64
AT/PASSAGE FROM Johnston Island TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	16	10	BW	2994	79	75	6	2000	ST	81	090	3
02	098	13	10	BW	2993	79	75	6	2000	ST	81	090	3
03	090	12	10	BW	2992	78	75	6	2000	CU	81	090	3
04	090	13	10	BW	2992	78	75	8	2000	CU	81	090	3
05	090	14	10	BW	2991	78	75	8	2000	CU	81	090	3
06	090	13	10	ST	2991	78	75	4	2000	CU	81	090	3
07	090	13	10	ST	2991	78	75	4	2000	CU	81	090	3
08	090	13	10	BW	2994	80	75	8	2000	CU	81	090	3
09	090	12	10	BW	2995	82	74	7	2000	CU	81	090	3
10	090	12	10	BW	2997	84	74	6	2000	CU	81	090	3
11	090	12	10	BW	2996	85	74	6	2000	CU	81	090	3
12	075	10	10	BW	2996	83	75	6	2000	CU	81	090	3
13	075	9	10	BW	2996	84	75	6	2000	CU	81	090	3
14	075	10	10	BW	2996	84	75	6	2000	CU	81	090	3
15	075	10	10	BW	2994	84	75	6	2000	CU	81	090	3
16	075	6	10	ST	2993	84	76	5	2000	CU	81	090	3
17	075	8	10	ST	2994	84	76	5	2000	CU	81	090	3
18	075	11.5	10	ST	2994	84	75	5	2000	CU	81	090	3
19	075	11	10	ST	2994	84	75	5	2000	CU	81	090	3
20	075	12	10	ST	2994	82	74	5	2000	CU	81	090	3
21	075	12	10	ST	2992	82	73	5	2000	CU	81	090	3
22	055	12	10	ST	2993	81	73	4	2000	CU	81	090	3
23	055	18	10	ST	2990	80	72	4	2000	CU	80	090	3
24	055	20	10	ST	2990	80	72	4	2000	CU	80	090	3

POSITION	ZONE	TIME
0800		
L <u>20-03.9N</u>	BY <u>2</u>	
λ <u>160-10.8W</u>	BY <u>2</u>	
1200		
L <u>20-17.0N</u>	BY <u>2</u>	
λ <u>159-45.9W</u>	BY <u>2</u>	
2000		
L <u>20-36.2N</u>	BY <u>2</u>	
λ <u>159-09.5W</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM <u>2000 12 July 1964</u>	(ZT) (Date)
TO <u>0800 13 July 1964</u>	(ZT) (Date)
SET <u>150</u>	
DRIFT <u>.75kt</u>	
POSITION BETWEEN FIXES	
MID. L <u>19-44.9N</u>	
MID. λ <u>160-45.1W</u>	

MILES STEAMED 0000-2400
<u>156.5</u>

FUEL CONSUMED 0000-2400
<u>3014</u>

REMARKS

04-04 Underway independently from Johnston Island to Pearl Harbor, Hawaii with 6PT-55 in tow in accordance with ComSOPAC SkillDed 010624Z July 1964. Base course 064 base speed (99 rpm) 12.2 Kts. Material condition code modified, readiness condition II, Engineering Condition III, Damage Control condition III are set. 1700 feet of wire set on automatic at 44,000 lbs.

C.P. McKernie, Ens, USN

04-08 Underway as before. 0721 C/S to 10.8 Kts. 0744 mustered the crew on station. Abandon: None

JH DeLour BMEC USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Bljey R. Nosen

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

Monday 13 July 1964
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE. 0800 c/c 060°. 0930 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

J. L. Wallis, CWO-2, USN

12-16 - Underway as Before 1244 1/2 to 80PPM 10.1 KNOTS

L. E. Horton
LTJG USN

16-18 Underway as before.

Ens C. P. McKenzie, USMR

18-20 UNDERWAY AS BEFORE. 1957 c/s 10.8 KTS. 1958 c/c 064°.

J. H. DeLoe BMCA
USN

20-24 UNDERWAY AS BEFORE.

J. L. Wallis, CWO-2-USN

APPROVED:

L. C. Reed

U. S. N. COMMANDING

EXAMINED:

Stacy R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Tuesday 14 July 19 64
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	055	15	10	BLW	29.97	78	73	6	2000	cu	80	090	3
02	042	15	10	BLW	29.97	78	73	6	2000	cu	80	090	3
03	042	14	10	BLW	29.96	78	73	6	2000	cu	80	090	3
04	040	21	10	BLW	29.95	77	72	6	2000	cu	80	090	3
05	040	18	10	BLW	29.95	77	72	6	2000	cu	81	090	3
06	040	16.5	10	SLT	29.96	78	74	5	2000	cu	81	090	2
07	040	16	10	SLT	29.97	78	74	5	2000	cu	81	090	2
08	040	12	10	SLT	29.97	80	75	5	2000	cu			
09	040	8	10	SLT	29.98	82	76	5	2000	cu			
10	040	8	10	SLT	29.98	83	76	3	2000	cu			
11	040	8	10	SLT	29.99	84	77	3	2000	cu			
12	025	5	10	SLT	29.99	85	78	3	2000	cu			
13	025	3	10	SLT	29.99	86	79	3	2000	cu			
14	025	2	10	SLT	29.99	87	79	3	2000	cu			
15	020	2	10	SLT	29.99	88	79	3	2000	cu			
16	020	4	10	SLT	29.95	89	75	3	2000	cu			
17	020	6	10	SLT	29.94	89	75	3	2000	cu			
18	020	6	10	SLT	29.94	89	75	3	2000	cu			
19	020	4	10	SLT	29.96	84	75	3	2000	cu			
20	020	4	10	SLT	29.98	82	73	4	2000	cu			
21	020	4	10	SLT	29.99	80	72	4	2000	cu			
22	020	4	10	SLT	29.99	79	72	4	2000	cu			
23	020	5	10	SLT	29.99	79	71	4	2000	cu			
24	020	5	10	SLT	30.00	79	71	4	2000	cu			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
67.2

FUEL CONSUMED
0000-2400
753

REMARKS

ΦΦ-Φ4 UNDERWAY INDEPENDENTLY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR HAWAII WITH APL-55 IN TOW IN ACCORDANCE WITH COMSERVAC SAIL ORD Φ1ΦG24Z OF JULY 1964. BASE COURSE Φ64° BASE SPEED 85 RPM'S 10.8 KNOTS. MODIFIED MATERIAL CONDITION YOKO, READINESS CONDITION II, ENGINEERING CONDITION II, DAMAGE CONTROL CONDITION III SET. TOW IS ON 17ΦΦ FEET OF RINCH WIRE WITH TOWING ENGINE IN AUTOMATIC Φ1ΦΦ MADE LAND FALL, LIGHTS ON ISLAND OF OAHU, BEARING Φ39° DISTANCE APPROX 4.8 MILE.

St. Hacton
RTSG USN

04-08 Underway as before. Φ459 c/c to Φ59° Φ516 c/s to 11.8 kts 052645 to 12.3 kts Φ745 monitored the crew on station. Absentee: none 0747 c/s to 9.5 kts Φ748 c/c to Φ78° Φ749 c/c Φ76°.

Em. C. P. McKenry USMR

APPROVED:

EXAMINED:

L. C. Creed

U. S. N. COMMANDING

St. Hacton

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Tuesday 14 July 64
(Day) (Date) (Month)

08-12 (con't) 0832 c/s 9.0 KTS. 0843 c/c 329°. Tow at 500 ft. 0844 #7 0847 Commenced steering base course 333° speed 6.0 KTS, entering outer channel to Pearl Harbor. 0901 passed Buoy (2) ahead to stbd. 100 yds. 0910 YTM 762 along side to port. 0914 passed Buoy (6) ahead to stbd. 75 yds. Tow at 50 ft. Commenced steering various courses and speeds while entering the inner Harbor & releasing tow. 0927 YTM 762 and YTL 553 made up to port side of AP2-55. 0931 Captain has the conn. 0938 Tow released to YTM & YTL, proceeding into inner Harbor. 0940 OOD has the conn. 0942 passed Buoy 20 ahead to stbd. 100 ft. 0940 Commenced approach to Sierra piers. 0954 Captain has the conn. 1003 moored port side to Berth, Sierra 17 fwd. U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with std. mooring lines doubled. 1007 Secured the special sea & anchor detail. 1030 made daily inspection of magazines. Condition: Normal.

12-16 MOORED AS BEFORE 1200 Fueling completed, DRAFT Fwd 12'7",
Aft 17'3"

RS Mason, Ltjg, USNR

16-20 MOORED AS BEFORE 1800 SET WATER IN CONDITION YOTE (Modified)

RS Mason, Ltjg, USNR

20-24 MOORED AS BEFORE

RS Mason, Ltjg, USNR

APPROVED:

Lt. C. P. Ched

U. S. N. COMMANDING

EXAMINED:

Ltjg RS Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Abnaki (ATAF-96) ZONE DESCRIPTION +10 W DATE Wednesday 15 July, 1964
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	035	3	8	R	30.00	71	68	8	2000	ST			
02	035	3	8	R	30.00	71	68	8	2000	ST			
03	035	3	8	R	30.00	71	68	8	2000	ST			
04	035	2	8	R	30.00	71	68	8	2000	ST			
05	035	2	10	R	30.00	71	68	8	2000	ST			
06	035	2	10	R	30.00	72	69	8	2000	ST			
07	035	3	10	R	30.00	75	71	8	2000	ST			
08	035	3	10	BW	30.00	76	71	8	2000	ST			
09	035	2	10	BW	30.00	81	72	7	2000	ST			
10	035	2	10	BW	30.00	83	73	7	2000	ST			
11	035	3	10	BW	30.00	85	74	7	2000	ST			
12	035	3	10	BW	29.98	87	74	7	2000	ST			
13	035	3	10	BW	29.97	85	74	6	2000	CU			
14	035	3	10	BW	29.95	84	74	6	2000	CU			
15	035	3	10	BW	29.94	84	73	6	2000	CU			
16	035	3	10	BW	29.94	83	72	6	2000	CU			
17	035	3	10	ST	29.93	82	72	5	2000	CU			
18	035	3	10	ST	29.93	81	71	3	2000	CU			
19	035	3	10	ST	29.92	80	71	3	2000	CU			
20	035	3	10	ST	29.94	78	71	5	2000	CU			
21	035	3	10	ST	29.94	78	71	5	2000	CU			
22	035	3	10	ST	29.95	77	71	5	2000	CU			
23	035	3	10	BW	29.96	77	71	6	2000	CU			
24	035	3	10	ST	29.96	77	71	5	2000	CU			

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED PORTSIDE TO BERTH S-17 Fwd, U.S. NAVAL
SUBMARINE BASE, Pearl Harbor, Hawaii with STANDARD MOORING LINES
doubled. Receiving electrical, telephone and fresh water SERVICES
FROM THE pier. MATERIAL CONDITION Yoke (Modified) is SET. ~~MADE~~ Ships
PRESENT include various units of the U.S. Pacific Fleet, Gark
and district CRAFT. SOPA is CINCPACFLT

DS Mason, Ltjg, USNR

04-08 MOORED as before. 0745 MUSTERED The crew at quarters
ABSENTEES: NONE

DS Mason Ltjg, USNR

APPROVED:

EXAMINED:

H. C. Chel

U. S. N. COMMANDING

Ltjg DS Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki CATF-96

Wednesday 15 July 1964
(Day) (Date) (Month)08-12 MOORED AS before. 0840 Made daily inspection of ship's
MAGAZINE. CONDITIONS NORMAL

DS Mason, Stjg, USNR

12-16 MOORED AS before.

DS Mason, Stjg, USNR

16-20 MOORED AS before. 1800 SET MATERIAL condition Yoke (Modified)

DS Mason, Stjg, USNR

20-24 MOORED AS before

DS Mason, Stjg, USNR

APPROVED:

Lt. P. C. Chad

U. S. N. COMMANDING

EXAMINED:

Stjg DS Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Abnaka (ATF-96) ZONE DESCRIPTION FIOW DATE Thursday 16 July 1964
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	035	2	10	SLT	2994	78	72	4	2000	CU			
02	040	2	10	SLT	2992	78	72	4	2000	CU			
03	040	3	10	SLT	2995	78	72	3	2000	CU			
04	040	3	10	SLT	2997	79	72	3	2000	CU			
05	040	3	10	SLT	2997	79	72	3	2000	CU			
06	040	3	10	SLT	2997	79	72	3	2000	CU			
07	040	5	10	SLT	2995	76	72	3	2000	CU			
08	040	5	10	SLT	2995	77	72	3	2000	CU			
09	040	5	10	SLT	2995	79	73	5	2000	CU			
10	040	4	10	SLT	2995	84	75	5	2000	CU			
11	040	4	10	SLT	2995	84	75	5	2000	CU			
12	040	5	10	SLT	2995	86	75	5	2000	CU			
13	040	6	10	BKN	2996	87	76	6	2000	CU			
14	040	4	10	SLT	2995	89	77	5	2000	CU			
15	040	4	10	BKN	2993	91	77	7	2000	CU			
16	040	4	10	SLT	2989	91	78	5	2000	CU			
17	040	4	10	BKN	2989	89	76	7	2000	CU			
18	040	4	10	BKN	2990	89	75	7	2000	CU			
19	040	4	10	BKN	2992	88	74	7	2000	CU			
20	040	4	10	BKN	2992	86	75	6	2000	CU			
21	040	3	10	BKN	2992	84	75	6	2000	CU			
22	040	3	10	BKN	2991	82	75	6	2000	CU			
23	040	2	10	BKN	2990	81	75	6	2000	CU			
24	040	2	10	BKN	2990	80	75	6	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED portside to berth S-17 Fwd, U.S. NAVAL
SUBMARINE BASE, Pearl Harbor, Hawaii with STANDARD
MOORING LINES doubled. Receiving electrical, telephone, and fresh
WATER SERVICES from the Pier. Material condition Yoke (Modified) is
SET. Ships present include various units of the U.S. Pacific, SUPA
is CINCPACFLT.

RS Mason, Sljg, USNR

04-08 Moved as before. Mustered the crew at quarters; absentees:
none

Sljg RS Mason, USNR

APPROVED:

Al. C. Reed

U. S. N. COMMANDING

EXAMINED:

Sljg RS Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday 16 July, 19 64
(Day) (Date) (Month)08-12 MOORED AS BEFORE 0946 MADE DAILY INSPECTION
OF MAGAZINES: CONDITIONS: NORMALLTJG J E Horton USN12-16 MOORED AS BEFORELTJG J E Horton USN16-20 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL
CONDITION YOKLTJG J E Horton USN20-24 MOORED AS BEFORELTJG J E Horton USN

APPROVED:

Lt. C. C. Hall

U. S. N. COMMANDING

EXAMINED:

Hyey R. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Friday 17 July, 19 64
 AT/PASSAGE FROM PEARL HARBOR, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	040	2	10	BW	29.91	80	75	6	2000	CU							
02	040	2	10	BW	29.91	80	75	6	2000	CU							
03	020	1	10	SE	29.87	79	71	5	2000	CU							
04	020	1	10	SE	29.88	79	71	5	2000	CU							
05	020	1	10	SE	29.88	79	71	5	2000	CU							
06	020	1	10	SE	29.88	79	71	5	2000	CU							
07	020	2	10	SE	29.89	78	72	5	2000	CU							
08	020	2	10	SE	29.89	78	72	5	2000	CU							
09	020	3	10	SE	29.89	79	73	5	2000	CU							
10	020	3	10	SE	29.88	80	74	5	2000	CU							
11	020	4	10	SE	29.88	81	75	5	2000	CU							
12	020	5	10	BW	29.88	89	76	6	2000	CU							
13	040	6	10	BW	29.88	90	76	6	2000	CU							
14	040	6	10	SE	29.87	91	76	5	2000	CU							
15	040	6	10	SE	29.85	93	76	5	2000	CU							
16	040	4	10	SE	29.84	91	76	4	2000	CU							
17	040	4	10	SE	29.84	91	76	4	2000	CU							
18	040	4	10	SE	29.84	86	76	4	2000	CU							
19	040	4	10	SE	29.86	84	74	4	2000	CU							
20	040	4	10	SE	29.88	82	74	4	2000	CU							
21	040	4	10	SE	29.90	81	74	4	2000	CU							
22	040	4	10	SE	29.82	80	73	3	2000	CU							
23	040	4	10	SE	29.82	80	72	2	2000	CU							
24	040	4	10	SE	29.90	80	72	3	2000	CU							

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
 TO _____ (ZT) _____ (Date)
 SET _____
 DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
 MID. λ. _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO IN BERTH SIERRA SEVEN-TEEN, US SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKO SET. SHIPS PRESENT VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PACFLT.

LTJG JG Horton USN

Φ4-Φ8 MOORED AS BEFORE. Φ745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG JG Horton USN

APPROVED: L. C. Reed U. S. N. COMMANDING

EXAMINED: Stys R. M. U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday 17 July 1964
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0915 MADE DAILY INSPECTION OF MAGAZINES, CONDITIONS: NORMAL. MADE WEEKLY TEST & INSPECTION OF THE MAGAZINE SPRINKLER SYSTEM. TEST: SATISFACTORY.

CWO J. L. Hollis, USN

12-16 MOORED AS BEFORE. 1400 COMMENCED CAPTAIN'S MATERIAL INSPECTION. 1519 SECURED FROM COMMANDING OFFICER'S MATERIAL INSPECTION.

CWO J. L. Hollis, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL ~~CONDITION~~ ~~Yoke~~ ~~(modified)~~. 1835 MUSTERED THE INPORT FIRE PARTY, ABSENTS: NONE.

CWO J. L. Hollis, USN

20-24 MOORED AS BEFORE.

CWO J. L. Hollis, USN

APPROVED:

L. C. [Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION HOW DATE SATURDAY 18 July, 1964
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	040	3	10	SCT	2990	80	72	3	2000	CU						
02	040	2	10	SCT	2989	79	71	3	2000	CU						
03	040	2	10	SCT	2989	79	71	3	2000	CU						
04	040	2	10	SCT	2990	79	72	3	2000	CU						
05	040	2	10	SCT	2990	79	72	3	2000	CU						
06	040	2	10	SCT	2990	79	72	3	2000	CU						
07	040	2	10	SCT	2989	81	72	3	2000	CU						
08	040	2	10	SCT	2991	84	73	3	2000	CU						
09	040	2	10	SCT	2994	86	74	3	2000	CU						
10	040	2	10	SCT	2994	86	74	3	2000	CU						
11	040	4	10	SCT	2994	86	74	3	2000	CU						
12	040	4	10	SCT	2993	92	76	3	2000	CU						
13	040	6	10	SCT	2992	93	76	3	2000	CU						
14	040	6	10	SCT	2991	94	77	4	2000	CU						
15	040	6	10	SCT	2989	94	78	4	2000	CU						
16	040	3	10	SCT	2989	93	78	4	2000	CU						
17	040	3	10	SCT	2989	91	77	4	2000	CU						
18	040	3	10	SCT	2989	89	77	4	2000	CU						
19	040	4	10	SCT	2989	85	77	4	2000	CU						
20	040	4	10	SCT	2989	84	77	4	2000	CU						
21	040	4	10	SCT	2990	82	75	4	2000	CU						
22	040	4	10	SCT	2990	82	74	4	2000	CU						
23	040	4	10	SCT	2993	81	73	4	2000	CU						
24	040	4	10	SCT	2992	81	73	4	2000	CU						

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA 17 WITH STD MOORING LINES DOUBLED AT US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (modified) SET. RECEIVING ELECTRICAL POWER, POTABLE WATER & TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. SOPA IS CinCPAC.

CWO J. L. Hollis USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS: ABSENTEES: NONE.

CWO J. L. Hollis USN

APPROVED:

Lt. CC Good
U. S. N. COMMANDING

EXAMINED:

Stacy R. Mason
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY 18 July 19 64
(Day) (Date) (Month)

08-12 MOORED AS before. 0839 Made daily inspection of Magazine conditions normal. 1015 Mustered the crew at quarters for Captain's inspection of personnel. 1037 Second gun inspection.

Stjg R. Nason Stjg, USNR

12-16 MOORED as before.

Stjg R. Nason, USNR

16-20 MOORED as before. 1800 Set material condition 40ke Modified.

Stjg R. Nason, USNR

20-24 MOORED as before

Stjg R. Nason, USNR

APPROVED:

Lt. C. C. Buel

U. S. N. COMMANDING

EXAMINED:

Stjg R. Nason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Sunday 19 July, 19 68
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SC	29.91	81	74	4	2000	cu			
02	040	3	10	SC	29.91	82	74	4	2000	cu			
03	040	4	10	SC	29.90	81	74	5	2000	cu			
04	040	4	10	SC	29.90	81	74	5	2000	cu			
05	040	3	10	SC	29.91	81	73	4	2000	cu			
06	040	3	10	SC	29.92	80	73	4	2000	cu			
07	040	4	10	SC	29.93	80	73	4	2000	cu			
08	040	5	10	SC	29.92	84	74	5	2000	cu			
09	040	5	10	SC	29.94	86	74	5	2000	cu			
10	040	5	10	SC	29.96	86	74	5	2000	cu			
11	040	5	10	SC	29.92	89	77	5	2000	cu			
12	040	5	10	BK	29.93	89	78	7	2000	cu			
13	040	5	10	SC	29.92	91	78	5	2000	cu			
14	040	5	10	SC	29.91	92	78	5	2000	cu			
15	040	5	10	SC	29.90	93	78	5	2000	cu			
16	040	5	10	SC	29.90	93	78	2	2000	cu			
17	040	5	10	SC	29.90	93	77	2	2000	cu			
18	040	4	10	SC	29.91	90	75	3	2000	cu			
19	040	4	10	SC	29.91	90	75	3	2000	cu			
20	040	3	10	SC	29.90	88	75	3	2000	cu			
21	040	3	10	SC	29.89	86	74	4	2000	cu			
22	040	3	10	SC	29.89	85	74	4	2000	cu			
23	040	3	10	SC	29.86	84	74	4	2000	cu			
24	040	3	10	SC	29.87	83	74	4	2000	cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moved portside side to berth 5-17 forward, U.S. Naval Submarine base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition code modified is set. Receiving electrical, fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet. SOPA is SINC PACFLT.

Styq RSNason, USNR

04-08 Moved as before. 0745 Mustered the crew on Stations: Absentees - none

Styq RSNason, USNR

APPROVED:

21 C C Reed

U. S. N. COMMANDING

EXAMINED:

Styq RSNason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP *ABNAKI (ATF-96)* *Sunday 19 July* 19 *64*
(Day) (Date) (Month)

08-12 moored as before. 1120 made daily inspection of magazines. Conditions: normal.

J A Hall
Ltjg USNR

12-16 moored as before.

J A Hall
Ltjg USNR

16-20 moored as before. 1500 set material conditions Yoke (modified).

J A Hall
Ltjg USNR

20-24 moored as before.

J A Hall
Ltjg USNR

APPROVED:

Lt CC Reed

U. S. N. COMMANDING

EXAMINED:

Sty R. Rosen

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS AGNAXICATF-96 ZONE DESCRIPTION #10W DATE Monday 20 July 19 64
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SLT	2984	82	74	5	2000	CU			
02	040	3	10	SLT	2985	81	74	5	2000	CU			
03	040	3	10	SLT	2986	80	73	5	2000	CU			
04	040	4	10	SLT	2991	82	72	5	2000	CU			
05	040	4	10	SLT	2991	82	72	5	2000	CU			
06	040	3	10	SLT	2992	82	72	5	2000	CU			
07	040	4	10	SLT	2993	82	72	5	2000	CU			
08	040	5	10	BRW	2996	83	73	7	2000	CU			
09	040	5	10	BRW	2998	84	74	7	2000	CU			
10	040	5	10	BRW	2998	85	74	7	2000	CU			
11	040	5	10	BRW	2998	85	74	7	2000	CU			
12	040	5	10	BRW	2999	86	76	7	2000	CU			
13	040	5	10	BRW	2999	86	76	7	2000	CU			
14	040	5	10	BRW	2999	87	78	7	2000	CU			
15	040	5	10	BRW	2998	87	78	7	2000	CU			
16	040	5	10	BRW	2999	92	78	8	2000	CU			
17	040	4	10	OC	2999	88	77	9	2000	CU			
18	040	4	10	OC	2999	85	75	10	2000	CU			
19	040	3	10	OC	2999	85	73	10	2000	CU			
20	040	3	10	OC	2999	85	73	10	2000	CU			
21	040	3	10	OC	2997	84	71	9	2000	CU			
22	040	3	10	BRW	2997	84	71	7	2000	CU			
23	040	3	10	BRW	2997	84	71	7	2000	CU			
24	040	2	10	BRW	2996	82	71	7	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moved portside to berth 5-17 forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines spooled. Material condition, Yoke is set receiving electrical power, fresh water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet. 304 is CMC ACFT.

J. A. Hall
Ltjg USNR

04-08 moved as before. 0745 Mustered the crew at quarters. Absentees: none

J. A. Hall
Ltjg USNR

APPROVED:

EXAMINED:

H C Reed

U. S. N. COMMANDING

Sty R Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abnaki (ATF-96)

Monday 20 July 1964
(Day) (Date) (Month)

08-12. MOORED AS before. 0905 Made daily inspection of MAGAZINE; conditions normal.

Stj R Mason, USNR

12-16. MOORED AS before. 1330 The COMMANDING OFFICER held MAST AND imposed non-judicial punishment as follows: KARDS, W. L. 390 53 35 RM3, USNR. OFFENSE VIOLATION OF ART 134 UCMJ. DRUNK. UNDER such CIRCUMSTANCES AS to bring discredit upon the ARMED SERVICES. PUNISHMENT: Reduction to NEXT inferior RATE, suspended for six (6) MONTHS

16-20 MOORED ~~Ab~~ as before. 1800 SET MATERIAL condition on Yoke (Modified).

Stj R Mason, USNR

20-24 MOORED AS before.

Stj R Mason, USNR

APPROVED:

L C Ched

U. S. N. COMMANDING

EXAMINED:

Stj R Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-90) ZONE DESCRIPTION +10 W DATE Tuesday 21 July, 19 64
 AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BK	2995	78	72	6	2000	Cu			
02	040	2	10	BK	2994	78	72	6	1800	ST			
03	040	2	10	OK	2991	77	74	10	1800	ST			
04	040	2	10	OK	2990	77	74	10	1800	ST			
05	040	2	10	OK	2991	77	73	9	1800	ST			
06	040	2	10	OK	2991	78	73	9	1800	ST			
07	040	4	10	BK	2993	79	73	7	1800	ST			
08	040	3	10	BK	2994	80	74	6	1800	ST			
09	040	3	10	BK	2995	83	74	6	1800	ST			
10	040	3	10	BK	2994	84	74	6	1800	ST			
11	040	3	10	L	2993	84	75	7	1800	ST			
12	040	2	10	OK	2993	84	76	9	1800	ST			
13	040	2	10	OK	2992	83	75	9	1800	ST			
14	040	4	10	OK	2992	83	75	9	1800	ST			
15	040	4	10	OK	2992	82	75	9	1800	ST			
16	040	4	10	BK	2990	81	76	8	1800	ST			
17	040	4	10	BK	2989	81	75	8	1800	ST			
18	040	3	10	BK	2989	86	76	8	1800	ST			
19	040	3	10	BK	2990	85	75	8	1800	ST			
20	040	3	10	BK	2994	85	75	7	1800	ST			
21	040	3	10	BK	2994	83	74	7	1800	ST			
22	040	3	10	BK	2994	82	73	7	1800	ST			
23	040	3	10	BK	2994	82	73	7	1800	ST			
24	040	3	10	BK	2993	80	73	7	1800	ST			

POSITION	ZONE	TIME
0800		
L <u>IMPORT</u>	BY _____	
λ _____	BY _____	
1200		
L <u>IMPORT</u>	BY _____	
λ _____	BY _____	
2000		
L <u>IMPORT</u>	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>0</u>

FUEL CONSUMED 0000-2400
<u>0</u>

REMARKS

00-04 MOORED portside to berth S-17 fwd, U.S. NAVAL Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving electrical, water and telephone services from the pier. Material condition Yoke Modified is set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOAA is CINCPACFLT.

Ltjg R S Mason. USNR

0408 MOORED as before. 0730 MUSTERED The crew at quarters. Absentees: NONE

Ltjg R S Mason. USNR

APPROVED:

EXAMINED:

Lt C C Reed U. S. N. COMMANDING

Ltjg R S Mason U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY 21 JULY 1964
(Day) (Date) (Month)08-12 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES.
CONDITIONS: NORMAL.CWO J. P. Hollis, USN12-16 MOORED AS BEFORE.CWO J. P. Hollis, USN16-²⁰~~18~~ MOORED AS BEFORE. 1800 SET MATERIAL CONDITION ~~JOA~~
YORK (modified) MUSTERED THE RESCUE & ASSISTANCE PARTY.
ABSENTEES: NONE.CWO J. P. Hollis, USN20-24 MOORED AS BEFORE.CWO J. P. Hollis, USN

APPROVED:

L. C. Chad

U. S. N. COMMANDING

EXAMINED:

Stij D. Mason

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-403112

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE WEDNESDAY 22 July, 1964
 AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	6	BR	2992	79	74	8	1800	ST			
02	040	3	6	BR	2992	79	74	8	1800	ST			
03	040	3	6	BR	2992	79	74	8	1800	ST			
04	040	3	6	L	2992	79	74	8	1800	ST			
05	040	3	6	L	2992	77	74	9	1800	ST			
06	040	3	6	RW	2982	77	73	9	1800	ST			
07	040	3	6	L	2992	77	73	9	1800	ST			
08	040	2	6	L	2992	78	73	9	1800	ST			
09	040	2	6	L	2993	79	74	8	1800	ST			
10	040	2	6	L	2994	81	74	9	1800	ST			
11	040	2	6	L	2993	80	75	10	1800	ST			
12	040	5	6	L	2992	85	75	10	1800	ST			
13	040	5	7	L	2988	87	75	9	1800	ST			
14	040	7	7	L	2985	88	76	10	1800	ST			
15	040	6	6	L	2982	88	76	10	1800	ST			
16	040	6	6	L	2981	88	76	10	1800	ST			
17	040	5	6	L	2981	88	75	10	1800	ST			
18	040	4	6	L	2982	87	75	10	1800	ST			
19	040	3	6	L	2983	86	75	10	1800	ST			
20	040	3	6	L	2986	78	74	10	1800	ST			
21	040	3	6	L	2984	77	74	10	1800	ST			
22	040	3	6	RW	2988	77	74	10	1800	ST			
23	040	3	6	RW	2989	76	74	10	1800	ST			
24	040	2	6	RW	2989	76	74	10	1800	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA 17, U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, POTABLE WATER AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (modified) SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. SOPA IS CINCPAC FLT.

CWO J. L. Hollis, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES; NONE.

CWO J. L. Hollis, USN

APPROVED:

LCC Reed

U. S. N. COMMANDING

EXAMINED:

Styer D. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AGUAKI (ATF-96) Wednesday 22 July 19 64
(Day) (Date) (Month)

08-12 Moved as before. 1022 Made daily inspection of magazines. Conditions: Normal.

J. D. Hall
Ltjg USNR

12-16 Moved as before.

J. D. Hall
Ltjg USNR

16-20 Moved as before. 1800 Set material condition Yoke (modified). Mastered the in-port fire party.

J. D. Hall
Ltjg USNR

20-24 Moved as before.

J. D. Hall
Ltjg USNR

APPROVED:

L. C. Chad

U. S. N. COMMANDING

EXAMINED:

Sty D. Mason

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS AGNAR (ATF-96) ZONE DESCRIPTION 1000 DATE Thursday 23 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	6	RW	29.88	76	74	10	1800	ST			
02	040	2	6	RW	29.85	77	73	10	1800	ST			
03	040	3	6	RW	29.83	77	73	10	1800	ST			
04	040	3	6	RW	29.81	78	73	10	1800	ST			
05	040	3	6	L	29.81	78	73	10	1800	ST			
06	040	2	6	L	29.81	78	73	10	1800	ST			
07	040	2	6	L	29.81	78	76	10	1800	ST			
08	040	2	10	BW	29.84	80	77	9	1800	ST			
09	040	2	8	RW	29.84	80	77	9	1800	ST			
10	040	2	8	RW	29.84	80	78	9	1800	ST			
11	040	4	10	BW	29.84	81	79	8	1800	ST			
12	040	4	10	BW	29.83	82	80	8	1800	ST			
13	040	4	10	BW	29.82	83	80	8	1800	ST			
14	040	4	10	BW	29.81	84	80	7	1800	ST			
15	040	4	10	BW	29.81	84	80	7	1800	ST			
16	040	4	10	BW	29.80	84	80	6	2000	Cu			
17	040	3	10	SC	29.80	84	80	5	2000	Cu			
18	040	3	10	SC	29.81	85	82	4	2000	Cu			
19	040	3	10	SC	29.81	85	82	4	2000	Cu			
20	040	2	10	SC	29.84	82	76	4	2000	Cu			
21	040	2	10	SC	29.84	81	75	4	2000	Cu			
22	040	1	10	SC	29.86	80	74	4	2000	Cu			
23	040	1	10	SC	29.88	80	74	4	2000	Cu			
24	040	1	10	SC	29.88	85	75	4	2000	Cu			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored portside to berth SIERRA 17, U. S. Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Receiving electrical power, potable water and telephone services from the pier. Material condition Yoke (Modified) is set. Ships present include various units of the U. S. Pacific Fleet. SOPA is CINCPACFLT.

F. O. Hall
Ltjg USNR

04-08 Moored as before. 0730 Mustered the crew at quarters. ABSENTEES: None.

F. O. Hall
Ltjg USNR

APPROVED:

U. C. Reed

U. S. N. COMMANDING

EXAMINED:

Stjg R. Mason

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)THURSDAY 23 JULY 1967
(Day) (Date) (Month)

08-12 Moored as before. 0945 Made daily inspection of the magazines. Conditions: normal.

C. P. McKenzie, Ens, USNR

12-16 Moored as before.

C. P. McKenzie, Ens, USNR

16-20 Moored as before. 1800 Set condition yoke modified. 1815 Mustered the ship for party. Absentees: none.

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED:

Lt. CC Reed

U.S.N. COMMANDING

EXAMINED:

Sgt. PS Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Friday 24 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	2	10	BW	2988	85	75	6	2000	CU			
02	040	1	10	SCT	2988	85	75	4	2000	CU			
03	040	1	10	SCT	2988	85	75	4	2000	CU			
04	040	1	10	SCT	2986	79	75	4	2000	ST			
05	040	1	10	SCT	2986	77	75	4	1800	ST			
06	040	1	8	RW	2986	77	75	6	1800	ST			
07	040	1	8	RW	2989	77	75	6	1800	ST			
08	040	2	10	BW	2992	79	77	7	1800	ST			
09	040	2	10	BW	2992	81	76	7	1800	ST			
10	040	2	10	BW	2992	81	76	7	1800	ST			
11	040	2	10	BW	2992	80	76	7	1800	ST			
12	040	2	8	RW	2993	80	77	8	1800	ST			
13	040	2	8	RW	2992	80	77	8	1800	ST			
14	040	1	8	RW	2991	80	77	8	1800	ST			
15	040	1	8	RW	2989	79	76	8	1800	ST			
16	040	2	10	OR	2989	82	78	10	1800	ST			
17	040	2	10	OR	2988	81	78	10	1800	ST			
18	040	1	10	OR	2988	80	77	10	1800	ST			
19	040	2	10	OR	2989	80	77	10	1800	ST			
20	040	2	10	BR	2992	83	75	9	1800	ST			
21	040	2	10	BR	2994	82	77	8	1800	ST			
22	040	2	10	BR	2995	82	76	7	1800	ST			
23	040	2	10	BR	2996	80	76	7	1800	ST			
24	040	2	10	BR	2996	80	76	7	1800	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

0

FUEL CONSUMED
0000-2400

0

REMARKS

00-04 Moved port side to in berth Sierra Seventeen Forward (S-17F) U.S. Naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. Condition Yoke modified is set. Receiver telephone, steam, potable water, and electric power from the pier. Ships present include various units of the U.S. Pacific Fleet, district and yard craft. Sapa is in Cae Flt.

C. P. McKenjie, En, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None.

C. P. McKenjie, En, USNR

APPROVED:

L. C. Reed

U.S.N. COMMANDING

EXAMINED:

Styga R. Masen

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Abraki (ATF-96)

Friday 24 July 1964
(Day) (Date) (Month)08-12 MOORED AS before. 1040 Made daily inspection of magazine
conditions normal.

Sty R. Mason, USNR

12-16 Moved as before.

Sty R. Mason, USNR

16-20- Moved as before. 1800 Set material condition
Yoke modified.

Sty R. Mason, USNR

20-24 Moved as before

Sty R. Mason, USNR

APPROVED:

Lt. C. C. Reed

U.S.N. COMMANDING

EXAMINED:

Sty R. Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross ATF-96 ZONE DESCRIPTION +10W DATE Saturday 25 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKW	2994	78	73	7	1800	ST			
02	040	1	10	BKW	2994	78	73	7	1800	ST			
03	040	1	10	BKW	2994	78	73	7	2000	Cu			
04	040	1	10	BKW	2994	78	74	7	2000	Cu			
05	040	1	10	BKW	2994	76	71	7	2000	Cu			
06	040	1	10	BKW	2994	76	71	7	2000	Cu			
07	040	2	10	BKW	2995	78	73	7	2000	Cu			
08	040	1	10	BKW	2995	83	78	6	2000	Cu			
09	040	1	10	BKW	2996	84	79	6	2000	Cu			
10	040	1	10	BKW	2996	85	79	6	2000	Cu			
11	040	2	10	BKW	2995	87	79	7	2000	Cu			
12	040	3	10	BKW	2994	89	80	6	2000	Cu			
13	040	3	10	BKW	2994	91	80	7	2000	Cu			
14	040	3	10	BKW	2993	93	81	6	2000	Cu			
15	040	3	10	SET	2991	89	79	5	2000	Cu			
16	040	3	10	SET	2991	88	79	5	2000	Cu			
17	040	3	10	SET	2991	88	79	5	2000	Cu			
18	040	3	10	SET	2991	87	78	5	2000	Cu			
19	040	3	10	SET	2991	86	76	5	2000	Cu			
20	040	2	10	SET	2992	82	75	5	2000	Cu			
21	040	2	10	SET	2993	82	75	3	2000	Cu			
22	040	2	10	SET	2994	81	75	3	2000	Cu			
23	040	2	10	SET	2993	80	74	3	2000	Cu			
24	040	2	10	SET	2992	78	74	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

0

FUEL CONSUMED
0000-2400

0

REMARKS

00-04 Moved portside to berth S-17 forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with standard morning lines doubled. Material condition code modified is set. Receiving fresh water. Telephone and electrical services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft

Sty R. Mason, USNR

04-08 Moved as before. 0745 Mustered the crew on Stations. Absentees: none.

Sty R. Mason, USNR

APPROVED:

EXAMINED:

L. C. Reed

U.S.N. COMMANDING

Sty R. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI

(ATF-96)

SATURDAY

25 July 64

(Day)

(Date)

(Month)

08-12 MOORED AS BEFORE. 0850 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. 1015 Quarters for Commanding officers personnel inspection. 1000 Commended Commanding officers personnel inspection. 1040 SECURED FROM COMMANDING OFFICER'S PERSONNEL INSPECTION.

CWO Jd. Hallis, USN

12-16 MOORED AS BEFORE.

CWO Jd. Hallis, USN

16-20 MOORED AS BEFORE, SET MATERIAL CONDITION YOKB (MODIFIED).

CWO Jd. Hallis, USN

20-24 MOORED AS BEFORE.

CWO Jd. Hallis, USN

APPROVED:

Lt. C. C. Chad

U.S.N. COMMANDING

EXAMINED:

Lt. J. D. Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 710 W DATE SUNDAY 26 July, 1964
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SET	2992	78	74	3	2000	CU			
02	040	2	10	SET	2993	77	73	2	2000	CU			
03	040	2	10	SET	2992	76	73	2	2000	CU			
04	040	2	10	SET	2992	76	73	2	2000	CU			
05	040	2	10	SET	2992	76	73	2	2000	CU			
06	040	1	10	SET	2992	75	72	2	2000	CU			
07	040	2	10	SET	2992	75	72	2	2000	CU			
08	040	2	10	SET	2994	76	72	2	2000	CU			
09	040	2	10	SET	2996	83	76	2	2000	CU			
10	040	2	10	SET	2995	83	77	2	2000	CU			
11	040	2	10	SET	2994	86	77	2	2000	CU			
12	040	3	10	SET	2992	89	78	4	2000	CU			
13	040	3	10	SET	2991	92	79	4	2000	CU			
14	040	5	10	SET	2990	93	78	3	2000	CU			
15	040	5	10	SET	2989	92	78	3	2000	CU			
16	040	5	10	SET	2989	92	77	3	2000	CU			
17	040	5	10	SET	2989	92	77	3	2000	CU			
18	040	3	10	SET	2989	92	76	3	2000	CU			
19	040	3	10	SET	2989	92	75	3	2000	CU			
20	040	3	10	SET	2989	92	75	3	2000	CU			
21	040	3	10	SET	2990	92	74	3	2000	CU			
22	040	3	10	SET	2990	90	73	3	2000	CU			
23	040	4	10	SET	2990	89	72	3	2000	CU			
24	040	4	10	SET	2990	89	74	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
1080

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA 17 Forward, U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. MATERIAL CONDITION Voke (modified) SET, RECEIVING ELECTRICAL POWER, POTABLE WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, RNZN OTAGO, DISTRICT AND SMALL CRAFT. SOPA IS CINCPACFLT.

CWO J. L. Hollis, USN

00-04⁰⁸ MOORED AS BEFORE. 0705 MASTERED THE CREW ON STATIONS. ABSENTEES: NONE.

CWO J. L. Hollis, USN

APPROVED:

L. C. Reed

U.S.N. COMMANDING

EXAMINED:

Stacy R. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

Sunday 26 July, 1964
(Day) (Date) (Month)

08-12 Moored as before. 0955 made daily inspection of magazines. Conditions: normal.

J. A. Hall
LTjg USNR

12-16 Moored as before.

J. A. Hall
LTjg USNR

16-20 Moored as before. 1800 set material conditions Yoke (Modified).

J. A. Hall
LTjg USNR

20-24 Moored as before.

J. A. Hall
LTjg USNR

APPROVED:

EXAMINED:

Lt. C. C. Reed

U.S.N. COMMANDING

Stjg. R. S. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGUAKI (ATF-96) ZONE DESCRIPTION THW DATE Monday 27 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	KT	2990	84	71	4	2000	cu			
02	040	2	10	KT	2990	83	71	4	2000	cu			
03	040	2	10	KT	2990	80	70	4	2000	cu			
04	040	1	10	KT	2990	79	70	4	2000	cu			
05	040	1	10	KT	2990	80	70	4	2000	cu			
06	040	1	10	KT	2990	79	72	3	2000	cu			
07	040	1	10	KT	2990	84	73	3	2000	cu			
08	040	2	10	KT	2990	84	73	3	2000	cu			
09	040	2	10	KT	2992	84	73	3	2000	cu			
10	040	2	10	KT	2993	84	73	3	2000	cu			
11	040	3	10	KT	2998	83	73	3	2000	cu			
12	040	3	10	KT	2998	84	74	3	2000	cu			
13	040	3	10	KT	2997	85	74	3	2000	cu			
14	040	3	10	KT	2996	86	74	3	2000	cu			
15	040	3	10	KT	2995	85	75	3	2000	cu			
16	040	3	10	KT	2996	91	80	4	2000	cu			
17	040	3	10	KT	2998	89	77	3	2000	cu			
18	040	3	10	KT	2998	89	77	3	2000	cu			
19	040	3	10	KT	2998	89	77	3	2000	cu			
20	040	3	10	KT	2994	87	75	3	2000	cu			
21	040	3	10	KT	2992	84	74	3	2000	cu			
22	040	2	10	KT	2992	82	73	3	2000	cu			
23	040	2	10	KT	2992	82	73	3	2000	cu			
24	040	3	10	KT	2992	81	72	4	2000	cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

48.0

FUEL CONSUMED
0000-2400

780

REMARKS

00-04 Moved port side to berth Sierra-17 Forward. U.S. NAVAL Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving electrical power, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. SOPA is PACIFIC FLEET.

FL Hall
Ltjg USNR

04-08 Moved as before. 0730 Mustered the crew at quarters. Absentees: None.

FL Hall
Ltjg USNR

APPROVED:

EXAMINED:

St O'Leary

U.S.N. COMMANDING

Stjg O'Meara

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Monday 27 July 64
(Day) (Date) (Month)

04-08 (cont) MOORED AS BEFORE. 0740 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY.

Sty. R. S. Mason, USNR

08-12 MOORED AS BEFORE. 0800 SET THE SPECIAL SEA AND ANCHOR DETAIL, CAPTAIN AND NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN. 0810 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT-13'-6" FWD, 16'-6" AFT. 0838 UNDERWAY FOR LOCAL OPS AREAS SH, DH, KH, IN ACCORDANCE WITH COMFLTTRABERY OP ORDER 31-64. 0839 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR ASSIGNED BERTH AND HEAD FAIR IN THE CHANNEL, 0841 C/C TO 310°, C/S TO 3.3 KTS.

Sty. R. S. Mason, USNR

08-12 (cont) Underway as before. 0842 steering various courses and speeds while standing out of Pearl Harbor channel. 0922 passed Buoy #9 abeam to starboard 100 yards. 0924 passed Buoy #7 abeam to starboard 100 yards. 0926 passed Buoy #5 abeam to starboard 100 yards. 0928 passed Buoy #3 abeam to starboard 100 yards. 0930 passed Buoy #1 abeam to starboard 100 yards, secured the special sea and anchor detail. Steering course 153°, Speed 12.3 KTS.

Ltjg. J. A. Hall, USNR

08-12 (cont) 0941 Entered International waters. 0943 C/C 105°. 0947 C/S 6.7 KTS. 0956 commenced steering various courses and speeds while conducting non-competitive exercise Z-1-N. Anchorage 209 assigned. 1037 Secured from exercise Z-1-N. speed zero (0. KTS) over anchorage 209 South Honolulu op. area. 1042 C/C 285°, speed 6.7 KTS. 1053 C/S all stop. 1056 C/S 9.5 KTS. 1058 commenced exercise Z-5-N. 1105 C/C 032°, 1110 C/S 6.7 KTS. 1111 made daily inspection of magazines, conditions: normal. 1112 C/C 065°, 1113 passed into international waters. 1117 Set the anchor detail. 1122 C/C 033°, 1126 C/S all stop. 1127 C/S all back 2/3, 1/3. 1128 anchored by port anchor in 8 fathoms of water sand and coral bottom, anchorage 209 SH, op. area. Thirty (30) fathoms of chain to the water's edge. Anchored on the following bearings. K64 TV Tower 095°, Harbord 066.5°, after range 032.2°. 1130 Secured the anchor detail and underway watch, set the anchor and inport watch.

CWO J. L. Hallis, USN

12-16 Anchored as before. 1212 Set the anchor detail. 1222 completed all preparations for getting underway.

Sty. R. S. Mason, USNR

APPROVED:

EXAMINED:

Lt. C. C. Chas

U.S.N. COMMANDING

Sty. R. S. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP *ABNAKI*

(ATF-96)

MONDAY 27 July 64
(Day) (Date) (Month)

12-16 (Continued) 1230 Underway from Anchorage #208, steering various courses at various speeds while attempting to clear the anchorage.

Enr C. P. McKenzie, USMR

12-16 (Continued) 1236 Underway as before, steering various courses at various speeds while conducting #1248 Entered Inland Waters. 1306 Anchored at Anchorage #208 in 12 fathoms of water, coral bottom, with bearings: T.V. Tower 090°, La Poudre 068°, Left Range 034.5°. 1309 Underway from Anchorage #208, steering various courses at various speeds while clearing the anchorage. 1315 Secured the anchor detail, steady course 210°, speed 9.5 kt. 1321 C/C to 180°. 1323 C/C to 240° C/S to 12.3 kt. 1358 C/C to 100°. 1400 C/S to 8 kt. 1415 The Commanding Officer held mast and imposed non-judicial punishment as follows:

CAMPAS, R.(N), 6811-75-26, FA, USN, OFFENSE: Violation of Arto. 89, 91, 92 of UCMJ and Ship Inst. 1020.1B on 18 July 1964. Punishment: Extra duty for 14 days, forfeiture of pay for seven days, and reduction to next inferior pay grade.

1508 C/C to 1285° Exercised the crew at General Quarters. 1517 C/S to 5 kt. 1530 Commenced abandon ship drill. 1536 C/C to 013° Secured from abandon ship drill. 1537 C/C to 010° 1538 Secured from General Quarters. 1539 C/C to 315°. 1556 C/C to 305°. 1603 C/S to 6.7 kt. 16

Ltjg. J. A. Hall, USNR

16-20 Underway as before. 1603 C/S to 6.7 kt. 1604 Set the special second anchor detail. 1605 C/S to 9.5 kt. 1607 C/C to 333°. 1610 C/S to 12.3 kt. 1600 Entered Inland Waters. 1614 Passed buoy #1 abeam to port 100 yards. Steering various courses at various speeds while conforming to Pearl Harbor Channel. 000 at the conn, Captain and Navigator on the bridge. 1617 Buoy #3 abeam to port 100 yards. 1620 Buoy #5 abeam to port 100 yards. 1623 Buoy #7 abeam to port 100 yards. 1632 Moored port side to US 305 (445-38) US Naval Station, Pearl Harbor, Hawaii, with standard mooring lines doubled. Ship's present include various units of US Pacific Fleet. 50PA is CIVIC PACFLT

20-24 Moved as before.

APPROVED:

Enr C. P. McKenzie, USMR EXAMINED:

Ltjg. J. A. Hall, USNR

U.S.N. COMMANDING

Stjg. R. S. Nason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI

(ATF 96)

Monday 27 July 1964
(Day) (Date) (Month)

04-08 (cont) Moved as before. 0746 Commenced making preparations for getting underway. Sty D. Mason, USNR

08-12. Moved as before. 0800 Set the special sea and anchor detail. Captain, navigator on the bridge. 0810 Comm. 0810 Completed all preparations for getting underway. Draft 13'6" fwd, 16'6" aft. 0828 Underway for Local Op Areas SA, DA, KH in accordance with COMFTRAGRU OPORDER 31-64. 0829 Commenced steering various courses at various speeds to clear assigned berth and head fair in the channel. 0841 C/C TO 310 °S to 3.3 KTS.

Sty D. Mason

08-12 (cont) Underway as before. 0842, Steering various courses at various speeds while standing by out of Pearl Harbor Channel. 0924 0922 Passed buoy #9 clear to starboard 100 yards. 0924 Passed buoy #7 clear to starboard 100 yards. 0926 Passed buoy #5 clear to starboard 100 yards. 0928 Passed buoy #3 clear to starboard 100 yards. 0930 Passed buoy #1 clear to starboard 100 yards. Secured the special sea and anchor detail. Steering course 153°, speed 12.3 Kts.

J. C. Hall
Ltjg USNR

08-12 (cont) Underway as before. 0939 Entered inland waters. 0943 C 105 °S 6.7. 0956 COMMENCED STEERING VARIOUS COURSES while conducting Z-1-N. 1037 Secured from Z-1-N. 1058 COMMENCED Z-5-N. STEERING VARIOUS COURSES at various speeds to anchor in Anchorage 208 SA. OP AREA. 1111 Made daily inspection of magazine condition normal. 1113 Entered inland waters. 1117 Set anchor detail. 1128 Anchored Anchorage 208 SA OP AREA with in 15 FATHOMS of water, sandy coral bottom on the following bearings TV 095, Landed 066°, AFT Range 032.

Sty D. Mason

12-16 Anchored Underway as before. 1212 SET the anchor detail. 1230 Underway from anchorage 208 while conducting Z-5-N.

12-16 (continued) Anchored as before. 1223 Stated to anchor detail. 1230 Underway for Anchorage 208. 1413 Commanding officer held mast and reported the follow NSP. Campos R(N) 681 7526. Violation of Art 89, 92, 91, was avoided for failure of 31 a month for one month, 14 days ex his duty, reduction to ENFN. 1508 Executed the crew at good quarters. 1538 Secured for General Quarters. 1556 C 305. Sty D. Mason, USNR
16-20. Underway as before. Entered inland waters. 1604 Set the special sea and anchor detail. 1605 Commenced steering various courses at various speeds to conform with Pearl Harbor channel. 1632 Moved outboard USS Ballistic A-2, US Naval Station Pearl Harbor. Sty D. Mason, USNR

16-20 Moved as before

20-24 Moved as before

En C. P. McJannet, USNR

En C. P. McJannet USNR

APPROVED:

EXAMINED:

L. C. Chap

U.S.N. COMMANDING

Sty D. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION HIO-W DATE TUESDAY 28 JULY, 191964
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	29.91	77	72	4	2000	Cu			
02	040	2	10	Sct	29.92	77	72	4	2000	Cu			
03	040	2	10	Sct	29.93	78	72	4	2000	Cu			
04	040	2	10	Sct	29.93	78	72	4	2000	Cu			
05	060	2	10	Sct	29.93	79	72	4	2000	Cu			
06	060	2	10	Sct	29.92	80	72	4	2000	Cu			
07	060	2	10	Sct	29.91	81	72	4	2000	Cu			
08	065	4	10	Sct	29.91	82	74	4	2000	Cu			
09	078	4	10	Sct	29.92	82	74	4	2000	Cu			
10	080	7	10	Sct	29.91	82	74	4	2000	Cu			
11	080	7	10	Sct	29.92	84	74	4	2000	Cu			
12	070	9	10	Sct	29.93	85	74	4	2000	Cu			
13	080	9	10	Sct	29.92	85	74	4	2000	Cu			
14	080	9	10	Sct	29.92	85	74	4	2000	Cu			
15	080	11	10	Sct	29.92	85	74	4	2000	Cu			
16	085	11	10	Sct	29.92	84	74	4	2000	Cu			
17	090	11	10	Sct	29.92	84	74	4	2000	Cu			
18	090	10	10	Sct	29.92	83	74	4	2000	Cu			
19	090	7	10	Sct	29.92	82	74	4	2000	Cu			
20	090	4	10	Sct	29.92	81	74	4	2000	Cu			
21	090	4	10	Sct	29.92	80	74	4	2000	Cu			
22	090	4	10	Sct	29.91	79	74	4	2000	Cu			
23	090	4	10	Sct	29.91	78	74	4	2000	Cu			
24	090	4	10	Sct	29.91	77	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
31

FUEL CONSUMED 0000-2400
840

REMARKS

00-04 Moored port side to USS Bolster (ARL-38) with standard mooring lines doubled. Bolster moored port side to in berth Alfa-Two (A-2) US Naval Base Pearl Harbor, Hawaii. Material Condition Yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet, District and Yard Craft. SOPA is under way.

Ens C. P. McNamee, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: none. 0700 Commenced making preparations for getting underway. 0710 Stationed the special sea and anchor detail. 0720 Completed all preparations for getting underway. Draft forward 15' 11" aft 13' 11". 0730 Underway in accordance with Comfltairg Week 31-64. Maneuvering

APPROVED:

EXAMINED:

LT C. Reed

U.S.N. COMMANDING

Stacy P. McNamee

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION HOW DATE Tuesday 28 July, 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	3	10	SCt	29.91	80	72	4	200	cu			
02	050	2	10	SCt	29.91	80	72	4	200	cu			
03	050	3	10	SCt	29.91	79	72	4	200	cu			
04	050	3	10	SCt	29.91	79	72	4	200	cu			
05	050	3	10	SCt	29.90	79	72	4	200	cu			
06	045	3	10	SCt	29.90	79	72	4	200	cu			
07	045	3	10	SCt	29.91	79	72	4	200	cu	80	070	3
08	045	3	10	SCt	29.92	80	72	4	200	cu	80	070	2
09	045	3	10	SCt	29.91	80	72	4	200	cu	80	070	2
10	045	3	10	SCt	29.90	80	72	4	200	cu	80	070	2
11	045	4	10	SCt	29.90	80	72	4	200	cu	80	070	2
12	045	4	10	SCt	29.91	80	74	4	200	cu	80	070	2
13	045	3	10	SCt	29.91	80	74	4	200	cu	80	070	2
14	050	6	10	BKW	29.90	80	74	6	200	cu	80	090	2
15	050	6	10	BKW	29.89	86	75	6	200	cu	80	090	2
16	045	4	10	BKW	29.90	85	75	6	200	cu	80	090	2
17	055	6	10	BKW	29.89	86	75	6	200	cu	80	090	2
18	045	4	10	BKW	29.90	85	75	6	200	cu			
19	045	6	10	BKW	29.91	82	73	6	200	cu			
20	045	4	10	BKW	29.92	82	73	6	200	cu			
21	045	4	10	BKW	29.92	82	73	6	200	cu			
22	045	3	10	BKW	29.92	81	73	6	200	cu			
23	045	3	10	BKW	29.92	81	73	7	200	cu			
24	045	2	10	BKW	29.93	82	73	7	200	cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

31.0

FUEL CONSUMED
0000-2400

587

REMARKS

00-04 Moored port side to USS Bolster (ARS-38) with standard mooring lines doubled. Bolster moored port side to in berth Alfa-Two (A-2) U.S. Naval Base Pearl Harbor, Hawaii. Material completion yoke modified is set. Receiving electrical, steam, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet district and yard craft. SoPa is in PacFleet.

Cs, C.P. McHenry, ~~in OSM~~ n

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: none. 0700 Commenced making preparations for getting underway. 0710 Stationed the special sea and anchor detail. 0720 Completed all preparations for getting underway. Draft: forward 15'11", aft 15'11". 0730 Underway in accordance with ComFleetTrans weekly Op-Order 31-64 Maneuvering

APPROVED:

EXAMINED:

H. C. Reed

U.S.N. COMMANDING

Sty R. Mason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP *Albatross* (AJF-96) *Tuesday 28 July* 19*64*
(Day) (Date) (Month)

04-08 (Continued) to clear the anchorage. Captain and Navigator are on the bridge. OOD has the conn. Maneuvering on various courses at various speeds while standing out of the harbor. 0746 Bury #5 abeam to starboard. 0749 Bury #3 abeam to starboard. 0753 Bury #1 abeam to starboard. 0755 Secured the special sea and anchor detail.

C.P. McJannet, Ensign, USNR

0812 Underway as before. 0818 C/C to 115°. 0817 C/S to 9 kts. 0820 C/S to 6.7 kts. C/C to 033°, began steering various courses while conducting precision anchorage drill. 0835 Set the Anchor Detail. 0839 C/S to 3 kts, maneuvering at various speeds. 0857 Anchored in 14 fathoms of water, sand and coral bottom with 15 fathoms of chain to the port anchor and the following bearings: T.V. Tower 095°, Lighthouse 085°, Light range 039°. 0900 Commenced maneuvering to clear the anchorage. 0905 Made daily inspection of magazines. Condition: Normal. 0908 Steady course 255°, speed 9.5 kts. 0923 Commenced steering various courses at various speeds while conducting precision anchorage drill. 0940 Anchored in 14 fathoms of water, sand and coral bottom on the following bearings: T.V. Tower 095°, Lighthouse 085°, Light range 039.7°. 0950 Commenced maneuvering to clear the anchorage. 0953 Secured the Anchor Detail. C/C 210°, C/S 9.7 kts. 0957 C/S to 6 kts. 1019 Commenced steering various courses while moving ship. 1157 Steady on course 295°, speed 8 kts.

Ltjg J.L. Hall

12-16 UNDERWAY AS BEFORE. 1205 COMMENCED EXERCISE 2-14-CC 1220 C/S 8.4 KTS. 1235 C/S 7.5 KTS. 1247 C/C 294°. 1248 C/S 7.8 KTS. 1301 C/C 240°. 1304 C/C 260°. 1308 C/C 335°, SECURED FROM EXERCISE 2-14-CC. 1309 SET THE SPECIAL SEA AND ANCHOR DETAIL, MADE PREPARATIONS FOR ENTERING PORT. 1310 C/C 337°, 1312 ENTERED INLAND WATERS. 1314 COMMENCED STEERING VARIOUS COURSES & SPEEDS WHILE ENTERING PEARL HARBOR. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. 1323 PASSED BUOY #2 ABEAM TO STARBOARD. 100 yds. 1332 PASSED BUOY #6 ABEAM TO STARBOARD. 75 yds. 1342 COMMENCED APPROACH TO BERTH ALFA SIX. (A-6) 1347 MOORED STARBOARD SIDE TO BERTH ALFA-7, U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. 1350 SECURED THE SPECIAL SEA AND ANCHOR DETAIL AND SET THE REGULAR INPORT WATCH.

CWO J.W. Helleis

12-16 (CONT) MOORED AS BEFORE.

Sgt. R. Mason, USNR

16-20 Moored as before. 1800 Set material condition to be Modified.

Sgt. R. Mason, USNR

20-24 Moored as before.

Sgt. R. Mason, USNR

APPROVED:

EXAMINED:

Lt. C. Cheed

U.S.N. COMMANDING

Sgt. R. Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross A-18-96 ZONE DESCRIPTION HOW DATE Wednesday 29 July 19 64
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	5	10	BKW	2993	80	71	6	2000	cu			
02	045	5	10	SET	2993	80	71	5	2000	cu			
03	045	3	10	SET	2992	78	72	4	2000	cu			
04	045	3	10	SET	2996	78	72	4	2000	cu			
05	045	3	10	SET	2996	78	72	4	2000	cu			
06	045	3	10	SET	2996	78	72	4	2000	cu			
07	045	3	10	SET	2996	78	73	5	2000	cu			
08	045	3	10	SET	2997	79	74	5	2000	cu			
09	045	4	10	SET	2997	80	74	5	2000	cu			
10	010	4	10	SET	2997	83	75	5	2000	cu	81	100	1
11	130	6	10	SET	2997	84	75	5	2000	cu	81	100	1
12	047	8	10	SET	2997	84	75	5	2000	cu	81	100	1
13	070	13	10	SET	2992	84	75	5	2000	cu	81	100	1
14	070	15	10	SET	2992	84	75	5	2000	cu	81	100	2
15	070	15	10	SET	2990	84	75	5	2000	cu	81	100	2
16	070	15	10	SET	2990	82	74	5	2000	cu			
17	045	3	10	SET	2992	82	74	5	2000	cu			
18	045	3	10	SET	2994	82	74	5	2000	cu			
19	045	4	10	SET	2996	82	74	5	2000	cu			
20	045	4	10	SET	2996	81	74	5	2000	cu			
21	045	4	10	SET	2996	81	74	5	2000	cu			
22	045	4	10	SET	2996	81	74	5	2000	cu			
23	045	4	10	SET	2996	81	74	5	2000	cu			
24	045	4	10	SET	2996	81	75	5	2000	cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA		
FROM _____	(ZT)	(Date)
TO _____	(ZT)	(Date)
SET _____		
DRIFT _____		
POSITION BETWEEN FIXES		
MID. L _____		
MID. λ _____		

MILES STEAMED
0000-2400

33.0

FUEL CONSUMED
0000-2400

763

REMARKS

00-04 Moved starboard side to berth A-6, U.S. Naval Station Pearl Harbor Hawaii with standard mooring lines derigged. Requiring telephone and fresh water services for the pier. Material condition Yoke Modified is set. Ships present include units of the U.S. Pacific Fleet, general district craft. SOPA is CINCPACFLT.

Sty R S Nason, USNR

04-08 Moved as before. 0645 Mustered the crew at quarters. Absentees none. 0709 In accordance with BuPers Order 1045572 LT Jones R Williams, USN 625124 reported aboard to assume duty as commanding officer. 0710 Set the Special Sea and Anchor Detail. 0713 Captain and Navigator on the bridge; OOD has the Conn. 0742 Underway for berth A-6 to local opera in accordance with COMFLTRABU OPODER 31-64. 0743 Commenced maneuvering on various courses at various speeds to clear berth at head fair in the channel. 0740 Passed buoy 9 ahead to starboard.

APPROVED:

EXAMINED:

Lt. C. C. Ched

U.S.N. COMMANDING

Sty R S Nason

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI

(ATF-96)

WEDNESDAY 29 July 1964
(Day) (Date) (Month)

04-08 (CONT) 0749 $\%$ 153. 0750 Commenced steering various courses at various speeds to conform with Pearl Harbor channel. 0751 Passed buoy 7 abeam to starboard. 0752 Passed buoy 5 abeam to starboard. 0755 Passed buoy 3 abeam to starboard. 0758 Passed buoy 1 abeam to starboard. 0759 $\%$ 145.

Ltjg R. S. Mason, USNA

04-08 Underway as before. Secured the Special Sea and anchor detail 0901 $\%$ 147 $\%$ 6.7 KTS. 0807 $\%$ 165 Ltjg R. S. Mason, USNA

~~08-12 (Cont)~~

~~08-12 (Continued) 0946 Made daily inspection of the magazines. Conditions Normal. Steering various courses at various speeds while providing service for a Z-10-CC.~~

~~En C. P. McXenye, USMR~~

08-12 (Continued) 0814 Exercised the crew at General Quarters. Steering various courses at various speeds while exercising the crew at General Quarters. 0936 Secured from General Quarters. 0946 Made daily inspection of the magazines. Conditions Normal. 1014 Commenced steering various courses at various speeds while providing service for a Z-10-CC.

En C. P. McXenye, USMR

12-16 Underway as before. 1203 Completed Z-10-CC. Commenced steering various courses at various speeds while providing service for a Z-4-CC. 1321 Secured from Z-4-CC. Come to nose course 070, speed 3 kt. 1331 $\%$ 5 to 6 kt. 1339 $\%$ 5 to 7.2 kt. 1424 $\%$ 5 to 7.7 kt. 1500 $\%$ 5 to 17.3 kt. 1503 $\%$ to 333°. 1507 $\%$ to 345°. 1508 $\%$ to 333°. Set the Special Sea and anchor detail. 1509 Entered the land waters. 1514 Commenced steering various courses at various speeds while providing service for a Z-4-CC. 1531 Moved to the hard side to help the Alfa-six (A-6) U.S. Naval Station, Pearl Harbor, Hawaii. Ship's prep. Includes various units of the U.S. Pacific Fleet, and various district, foreign and smaller craft. 504 is CMC Fleet. 1538 Secured the Special Sea and anchor detail.

Ltjg R. S. Mason, USNA

1700 USS MATTOBI (ATF-105) MOORED OUTBOARD & PORT. 16-20 MOORED AS BEFORE. 1700 SET MATERIAL CONDITION YOKE (modified) 1815 MUSTERED THE IMPORT DUTY FIRE PARTY. ABSENTEES: NONE.

CWO J. L. Hallis, USN

20-24 MOORED AS BEFORE.

CWO J. L. Hallis, USN

APPROVED:

L. C. Ched

U.S.N. COMMANDING

EXAMINED:

Ltjg R. S. Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION 110W DATE THURSDAY 30 July, 19 64
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	2	10	SC	2996	76	71	5	2000	CU			
02	045	2	10	BR	2995	70	71	6	2000	CU			
03	045	4	10	BR	2994	71	71	6	2000	CU			
04	045	4	10	BR	2992	72	71	6	2000	CU			
05	045	3	10	BR	2989	73	71	6	2000	CU			
06	045	2	10	BR	2989	73	71	6	2000	CU			
07	045	2	10	BR	2990	76	72	6	2000	CU			
08	045	4	10	BR	2991	77	72	6	2000	CU			
09	045	4	10	BR	2991	78	73	6	2000	CU			
10	045	4	10	BR	2991	78	73	6	2000	CU			
11	045	4	10	BR	2991	79	73	6	2000	CU			
12	045	4	10	BR	2991	80	73	6	2000	CU			
13	045	4	10	SC	2992	84	74	5	2000	CU			
14	045	4	10	SC	2993	85	74	5	2000	CU			
15	045	4	10	SC	2991	86	73	5	2000	CU			
16	045	3	10	SC	2986	90	76	5	2000	CU			
17	045	3	10	SC	2985	85	77	5	2000	CU			
18	045	3	10	SC	2985	85	76	5	2000	CU			
19	045	3	10	SC	2985	84	74	4	2000	CU			
20	045	3	10	SC	2988	84	74	4	2000	CU			
21	045	3	10	SC	2988	83	74	4	2000	CU			
22	045	3	10	SC	2988	83	74	5	2000	CU			
23	045	2	10	SC	2988	83	74	5	2000	CU			
24	045	2	10	SC	2990	79	71	4	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

19.0

FUEL CONSUMED
0000-2400

1047

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH ALPHA SIX (A-6) U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED, USS MOCTOSI (ATF-105) MOORED OUTBOARD TO PORT, MATERIAL CONDITION YOKO (modified) SET. Receiving telephone + potable water from the pier. Ships present include various units of the U.S. Pacific Fleet units of various ALLIED NAVIES District and small craft. S.O.P.A. is CINCPAC FLEET.

CWO J. H. Helli, USN USN

04-08 MOORED AS BEFORE. 0645 MUSTERED THE CREW AT QUARTERS, ABSENTS: NONE. 0700 MOCTOSI underway - commenced preparations for getting underway. 0710 set the special sea and anchor detail. Draft: 14'-0" fwd 15'-11" aft. 0724 Lt. WILLIAMS, USN has the conn. 0730 underway in accordance with COMFLETPAC OP ORD-3164, Captain and navigator are on the Bridge - maneuvering to clear the Berth. 0735 steady on 170°, Speed 9.5 kts. 0738 passed Buoy 9 abeam

APPROVED:

EXAMINED:

W. C. Reed

U.S.N. COMMANDING

J. H. Helli

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNARI (ATF-96)

THURSDAY 22 July 64
(Day) (Date) (Month) 19

04-08 (Cont) to stbd. 50 yds. 0738 c/c 160° 0739 c/c 160° 0740 000 has the conn. Base course 153° 0743 passed Buoy #3 abeam to stbd. 100 yds. 0748 passed Buoy #4 abeam to stbd. 100 yds. 0752 c/c 115° 0757 Ens. McKenzie has the conn. 0758 c/s 6.7 kts. 0759 c/c 172° c/s 9.5 kts.

CWO Jd Hallis, USN

08-12 Underway as before 0806 c/c to 100° 0809 c/c 107° 0814 Commenced Engineering Exercises. Steering various courses at various speeds while conducting Engineering exercises. 0836 Made daily inspection of the magazines. Conditions: normal. 0847 Exercised the crew at General Quarters. 0852 Commenced Damage Control exercises. 0946 Steering various courses at various speeds while swinging ship. 1045 set condition Yoke. 1048 Secured from General Quarters. 1052 c/s to 12.5 kts. 1054 c/s to 13.3 kts c/c 310° 1057 c/c to 337° 1059 c/c to 333°. Commenced steering various courses at various speeds while standing into Pearl Harbor Hawaii. 1111 Entered island waters. 1112 Set special sea and anchor detail. 1117 Bow #2 abeam to stbd. 1123 Bow #4 abeam to stbd. 1125 Bow #6 abeam to stbd. 1134 Moored starboard side to in berth Alpha-Six (A-6) U.S. Naval Base Pearl Harbor Hawaii with standard mooring lines doubled. 1140 Secured to special sea and anchor detail.

En C.P. McKenzie, C/MR

12-16 Moored as before.

Jd Hall
Ltjg USN

16-20 Moored as before. 1800 set material condition Yoke (modified)

Jd Hall
Ltjg USN

20-24 Moored as before.

Jd Hall
Ltjg USN

APPROVED:

EXAMINED:

H. C. Creed

U.S.N. COMMANDING

Hjg R. S. Mason

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +1000 DATE Friday 31 July 19 64
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES		POSITION	ZONE	TIME
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)			
01	045	2	10	SE	29.88	78	71	4	2000	CU				0800		
02	045	3	10	SE	29.88	78	71	4	2000	CU				L _____ BY _____		
03	045	3	10	SE	29.88	78	71	4	2000	CU				λ _____ BY _____		
04	045	3	10	SE	29.88	78	72	4	2000	CU				1200		
05	045	3	10	SE	29.88	78	72	4	2000	CU				L _____ BY _____		
06	045	3	10	SE	29.88	78	72	4	2000	CU				λ _____ BY _____		
07	045	5	10	SE	29.94	78	72	4	2000	CU	81	075	2	2000		
08	045	7	10	SE	29.92	79	72	4	2000	CU	81	075	2	L _____ BY _____		
09	045	6	10	SE	29.87	80	72	4	2000	CU	81	075	2	λ _____ BY _____		
10	045	7	10	SE	29.87	82	74	4	2000	CU	81	075	2	LEGEND: 1 - CELESTIAL		
11	045	7	10	SE	29.86	82	74	4	2000	CU	81	075	2	2 - ELECTRONIC		
12	045	3	10	SE	29.84	85	75	3	2000	CU				3 - VISUAL		
13	045	2	10	SE	29.84	84	75	3	2000	CU				4 - D. R.		
14	045	2	10	SE	29.84	84	75	4	2000	CU				CURRENT DATA		
15	045	2	10	SE	29.85	83	76	4	2000	CU				FROM _____		
16	045	1	10	SE	29.85	83	76	5	2000	CU				(ZT) _____ (Date) _____		
17	045	1	10	SE	29.86	82	76	5	2000	CU				TO _____		
18	045	1	10	SE	29.87	82	75	5	2000	CU				(ZT) _____ (Date) _____		
19	045	1	10	BR	29.87	81	75	6	2000	CU				SET _____		
20	045	1	10	BR	29.88	81	75	6	2000	CU				DRIFT _____		
21	045	1	10	BR	29.88	80	74	6	2000	CU				POSITION BETWEEN FIXES		
22	045	1	10	BR	29.88	80	74	6	2000	CU				MID. L _____		
23	045	1	10	BR	29.88	80	74	6	2000	CU				MID. λ _____		
24	045	1	10	BR	29.88	80	74	6	2000	CU						

REMARKS

00-04 Moved starboard side to berth Alfa 6 (A-6) U.S. Naval Station, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving telephone and potable water services from the pier. Ships present include various units of the U.S. Pacific Fleet, various district and small craft. SOPA is COMUSMACV.

FD Hall
Ltjg USN

04-08 Moved as before. 0700 Mustered the crew at quarters. Absentees: None. 0720 Set the special sea and anchor detail. 0730 completed all preparations for getting underway. Draft: forward 14'0", aft 16'0". 0746 Underway for local ops area in compliance

APPROVED: St C Reed U.S.N. COMMANDING EXAMINED: Sgt R Mas U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)FRIDAY 31 JULY 1964
(Day) (Date) (Month)

COMFLTRAGPAC OP-Order 31-64. Manuevering to clear the berth. Captain and Navigator are on the bridge. 0749 Steering various courses at various speeds standing port of Pearl Harbor Channel. 0751 Buoy #7 abeam to starboard. 0753 Buoy #5 abeam to starboard. 0755 Buoy #3 abeam to starboard. 0800 Buoy #1 abeam to starboard. Steady base course 170; speed 9.5 kt.

Ltjg J. H. Hall USNR

08-12 Underway as before. C/C to 100°, C/S to 6.7 kt. 0809 Secured the special sea and anchor detail. 0811 C/C to 090°.

Ltjg J. H. Hall USNR

08-12 (Continued) Underway as before. 0817 C/C to 135°, C/S to 9.6 kt. 0823 C/C to 077°, C/S to 6.7 kt. 0827 C/C to 135°. 0831 Entered International Waters. 0844 C/C to 120°. 0858 C/C to 041° commenced manuevering on various courses at various speeds while conducting exercise Z-1-N. 0908 Entered Inland waters. 0915 Made daily inspection of magazines. Conditions normal. Made perfectly to 1 of sprinkler system. Conditions normal. Set the anchor detail 0927. Anchored in 13 fathoms of water, sandy-coral bottom, on the following bearings: To sound 067°, KGV/T.V. Tower 095°. 0925 Manuevering to clear the anchorage. Secured the anchor detail. Steady course 145°, speed 12.3 kt. 0934 Entered International Waters. 0943 C/C to 100° commenced steering various courses at various speeds while swinging ship. 1128 Steady course 090°, speed 7 kt.

Ltjg J. H. Hall USNR

12-16 Underway as before. Commenced steering various courses at various speeds while conducting rubber dopping. 1407 Steady course 273°, speed 6.7 kt. 1412 C/C to 277°. 1431 C/C to 333°. 1439 Entered Inland waters. 1444 C/C to 331°. 1446 C/C to 9.5 kt. 1447 Set the special sea and anchor detail. Commenced steering various courses at various speeds while entering Pearl Harbor Channel. 1510 Moved starboard side to (300 feet (4-6) US Naval Station, Pearl Harbor, Hawaii with steady swinging lines. 1515 Secured the sea and anchor detail.

Ltjg J. H. Hall USNR

16-20 Moved as before. 1800 Set condition Yoke modified. 1920 Mustered the crew at quarters. Absentees: none.

Ens C. P. McKenye, USMR

20-24 Moved as before.

Ens C. P. McKenye, USMR

APPROVED:

EXAMINED:

Lt. C. C. Reed

U.S.N. COMMANDING

Ltjg J. H. Hall

U.S.N. NAVIGATOR

